Biol
5
95
0
8

Member's Copy

Index to Volume 110

The Biochemical Journal

Editorial Board

W. N. Aldridge (Chairman)
J. R. Quayle (Deputy Chairman)
D. G. Walker (Deputy Chairman)
D. S. Robinson (Deputy Chairman)
M. L. Birnstiel
R. V. Brooks
R. H. Burdon
R. A. Cox
J. E. Cremer
M. J. Crumpton
D. F. Elliott
P. B. Garland
B. S. Hartley
J. N. Hawthorne
J. D. Judah
J. R. Knowles
P. N. Magee
D. J. Manners
J. H. Moore
C. J. O. R. Morris
I. H. M. Muir
A. C. T. North*
C. A. Pasternak
A. R. Peacocke*
H. R. Perkins
G. K. Radda
D. N. Rhodes
R. Rodnight
D. B. Roodyn
R. E. Strange
J. R. Tata
P. K. Tubbs
D. C. Watts
F. R. Whatley

Secretary to the Board: **F. Clark**

*Nominated by the British Biophysical Society

The Biochemical Society

Price 3s. 6d. net (U.S.A. 50 cents)

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1968–69

Chairman of the Committee
A. NEUBERGER

Treasurer
W. F. J. CUTHBERTSON*

Committee Secretary
K. S. DODGSON*

Meetings Secretary
A. N. DAVISON*

International Secretary
A. P. MATHIAS*

Committee

W. N. ALDRIDGE*†	S. R. ELSDEN	H. A. KREBS
J. S. D. BACON	D. F. EVERED	I. H. M. MUIR*†
G. R. BARKER	G. A. D. HASLEWOOD	D. C. PHILLIPS
D. N. BARON*‡	A. T. JAMES	J. R. QUAYLE*†
W. BARTLEY	H. L. KORNBERG	R. M. S. SMELLIE

Symposium Organizer: T. W. GOODWIN

* *Ex-officio* Member of Committee.

† Representative of Editorial Board of the *Biochemical Journal.*

‡ Representative of Editorial Board of *Clinical Science.*

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. About 10 meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London, W.C.1 (01–405 1941/2).

The *Biochemical Journal* is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. Five volumes will appear in 1968 and it is planned that the same number shall appear in 1969. The index for each volume is published separately.

Subscriptions to the *Biochemical Journal.* For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £40 per year (£8 per volume). For non-members in the U.S.A. the subscription is $96 per year ($19.20 per volume.) All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), 7 Warwick Court, London, W.C.1.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims will be entertained if they are received later than three months after the date of posting of the *Journal.*

Back Numbers. Enquiries for volumes 1–19 should be addressed to William Dawson & Sons Ltd., Back Issues Department, 16 West Street, Farnham, Surrey. Quotations for available issues of subsequent volumes and parts may be obtained on application to Walter J. Johnson Ltd., Berkeley Square House, Berkeley Square, London, W.1, or to The Biochemical Society.

Advertisements. Applications for advertising space should be sent to The Biochemical Society (Advertisements), 7 Warwick Court, London, W.C.1.

Index of Authors

Note. Pages in *Proceedings of The Biochemical Society* are distinguished by P.

Akhtar, M., Blosse, P. T. & Dewhurst, P. B. Studies on vision. The nature of the retinal–opsin linkage 693

Alberti, K. G. M. M. & Sharp, G. W. G. Nuclear binding of aldosterone in toad bladder 42P

Ali, K. E. & Ramsay, W. N. M. Phosphoprotein-bound iron in the plasma of the laying hen 36P

Ansell, G. B. & Spanner, S. The metabolism of [*Me*-^{14}C]-choline in the brain of the rat *in vivo* 201

Antonowicz, I. & Kodicek, E. The effect of scurvy on glycosaminoglycans of granulation tissue and costal cartilage 609

Aparicio, S. G. R. *see* Wong-Leung, Y. L. 5P

Archibald, A. R., Baddiley, J. & Button, D. The glycerol teichoic acid of walls of *Staphylococcus lactis* I3 543

Archibald, A. R., Baddiley, J. & Button, D. The membrane teichoic acid of *Staphylococcus lactis* I3 559

Archibald, A. R., Baddiley, J. & Shaukat, G. A. The glycerol teichoic acid from walls of *Staphylococcus epidermidis* I2 583

Asp, N.-G. & Dahlqvist, A. Rat small-intestinal β-galactosidases. Kinetic studies with three separated fractions 143

Aston, W. P., Hague, G. M., Donald, A. S. R. & Morgan, W. T. J. A serologically active tetrasaccharide obtained from a human blood-group B-active glycoprotein by partial acid hydrolysis 157

Backer, T. A. & Offord, R. E. The protection of peptides from biological sources for use in the chemical synthesis of proteins 3P

Bacon, J. S. D. & Farmer, V. C. The presence of a predominantly β-(1→6) component in preparations of yeast glucan 34P

Baddiley, J., Blumsom, N. L. & Douglas, L. J. The biosynthesis of the wall teichoic acid in *Staphylococcus lactis* I3 565

Baddiley, J. *see also* Archibald, A. R. 543, 559, 583; Brundish, D. E. 573

Baliga, B. S. *see* Pronczuk, A. W. 783

Barbiroli, B. *see* Billing, R. J. 30P

Barker, P. J., Fincham, N. J. & Hardwick, D. C. The availability of carnitine acetyltransferase in mitochondria from guinea-pig liver and other tissues 739

Barnes, M. McC. *see* Pearson, C. K. 21P

Baron, D. N. *see* Foxwell, C. J. 721

Barb, G. C. *see* Harris, W. J. 38P

Bates, M. W., Krebs, H. A. & Williamson, D. H. Turnover rates of ketone bodies in normal, starved and alloxan-diabetic rats 655

Beard, P. & Pitts, J. D. A polynucleotide ligase from polyoma-virus-infected mouse cells 48P

Belcher, R. V. *see* Smith, S. G. 15P

Bell, J. A., Sneddon, A. & Hamilton, T. Influence of light and 9,10-dimethylbenz[*a*]anthracene on rat ovarian steroidogenesis: neutral steroids 29P

Bell, J. B. G., Vinson, G. P. & Lacy, D. Biosynthesis of steroids in rat testis seminiferous tubules 58P

Beloff-Chain, A. & Rookledge, K. A. The metabolism of glucose in diaphragm muscle from normal rats, from streptozotocin-treated diabetic rats and from rats treated with anti-insulin serum 529

Benson, P. F. Subribosomal particles in newborn-rat liver 59P

Bentley, M., Davies, A., Field, B. S. & Roberts, W. Characteristics of growth of a *Pseudomonas* species in culture media containing chlorhexidine 46P

Bergami, M., Marino, G. & Scardi, V. The influence of chloride and other univalent inorganic anions on the visible-absorption spectrum of aspartate aminotransferase 471

Berns, D. S. *see* Lee, J. J. 457, 465

Bezkorovainy, A., Grohlich, D. & Gerbeck, C. M. Some physical-chemical properties of reduced–alkylated and sulphitolysed human serum transferrins and hen's-egg conalbumin 765

Billing, R. J., Barbiroli, B. & Smellie, R. M. S. The influence of oestradiol-17β on ribonucleic acid synthesis in rat uterus 30P

Blaton, V. *see* Hendrickx, H. 419

Blosse, P. T. *see* Akhtar, M. 693

Blow, D. M. Chymotrypsin: tertiary structure and enzymic activity 2P

Blumsom, N. L. *see* Baddiley, J. 565

Bodnaryk, R. P. & Levenbook, L. Naturally occurring low-molecular-weight peptides from the blowfly *Phormia regina* 771

Boldingh, J. *see* Veldink, G. A. 58P

Bollard, E. G. *see* Cook, A. R. 31P

Bonanou, S., Cox, R. A., Higginson, B. & Kanagalingam, K. The production of biologically active subparticles from rabbit reticulocyte ribosomes 87

Bothe, H. *see* Evans, M. C. W. 485

Boucek, R. J. & Hlavackova, V. Synthesis and degradation of collagen in the developing corium of the chick embryo 435

Bowness, J. M. *see* Tan, Y. H. 9, 19

Brearley, G. M. & Weiss, J. B. A new method for the quantitative determination of monosaccharides, amino sugars and *N*-acetylneuraminic acid and of 6-deoxyhexose (fucose) in the presence of other sugars 413

Brennan, P. J. Free trehalose in *Corynebacterium xerosis* 9P

Britton, H. G. & Clarke, J. B. The mechanism of the phosphoglucomutase reaction. Studies on rabbit muscle phosphoglucomutase with flux techniques 161

Brock, D. J. H. & Williamson, D. H. Purification of a diketo acid hydrolase from rat liver and its use for the enzymic determination of 3,5-dioxohexanoate (triacetate) 677

Brown, A. D. *see* Marshall, C. L. 441

Brown, M. *see* Parish, J. H. 39P

Brown, R. *see* Leonard, P. J. 22P

Brundish, D. E. & Baddiley, J. Pneumococcal C-substance, a ribitol teichoic acid containing choline phosphate 573

Buck, G. M. *see* Foxwell, C. J. 721

Bullock, G. *see* Slater, T. F. 15P

Buonocore, V. *see* Marino, G. 603

Burke, D. C. *see* Joss, A. 40P; Long, W. 41P; Skehel, J. J. 41P

Burns, R. G. *see* Ingle, J. 605

Butterworth, P. J. The pyrophosphatase activity of pig kidney alkaline phosphatase and its inhibition by magnesium ions and excess of pyrophosphate 671

Button, D. *see* Archibald, A. R. 543, 559

Callaghan, P. *see* Ebbon, G. P. 33P

Callender, L. A. *see* Winder, F. G. A. 10P

Cawley, T. N. & Letters, R. Phosphoglycopeptides from yeast cell walls 9P

Chakrapani, B. *see* Dabich, D. 713

Chamberlain, E. M. & Dagley, S. The metabolism of thymol by a *Pseudomonas* 755

CHAPMAN, P. J. & HOPPER, D. J. The bacterial metabolism of 2,4-xylenol 491
CHAPMAN, P. J. *see also* HOPPER, D. J. 798
CHATTAWAY, F. W. *see* GOULDEN, S. A. 55P
CLAMP, J. R., DAWSON, G. & FRANKLIN, E. C. Studies on the glycopeptides isolated from the urinary protein in heavy-chain disease 385
CLANCY, M. J., O'HARA, C. E., RISSEEUW, P. S. & RYAN, E. The inhibition of wheat β-amylase 7P
CLARKE, J. B. *see* BRITTON, H. G. 161
CLEGG, J. B. *see* MILSTEIN, C. 631
COHEN, B. B. A factor converting monoribosomes into polyribosomes during protein synthesis *in vitro* 231
COOK, A. R. & BOLLARD, E. G. Urease in *Spirodela* 31P
COWEY, C. B. *see* LUSH, I. E. 33P
COX, R. A. *see* BONANOU, S. 87
CUNNINGHAM, W. L. & GOLDBERG, J. M. The determination of glycosaminoglycans present in various mammalian brains 35P

DABICH, D., CHAKRAPANI, B. & SYNER, F. N. Purification and properties of esterases characteristic of adult rat brain 713
DAGLEY, S. *see* CHAMBERLAIN, E. M. 755; HOPPER, D. J. 798
DAHLQVIST, A. *see* ASP, N.-G. 143
DALZIEL, K. & LONDESBOROUGH, J. C. The mechanisms of reductive carboxylation reactions. Carbon dioxide or bicarbonate as substrate of nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase and 'malic' enzyme 223
DALZIEL, K. *see also* LONDESBOROUGH, J. C. 217
DAMOGLOU, A. P. & DAWES, E. A. Studies on the lipid content and phosphate requirement of glucose- and acetate-grown *Escherichia coli* 775
DAS, N. P. & GRIFFITHS, L. A. Studies on flavonoid metabolism. Metabolism of (+)-catechin in the guinea pig 449
DAVIES, A. *see* BENTLEY, M. 46P
DAVISON, A. L. The characterization of a *Micrococcus* (*Staphylococcus lactis*) sp. I3 with an atypical teichoic acid in its wall. *Appendix to*: The glycerol teichoic acid of walls of *Staphylococcus lactis* I3 (Archibald, A. R., Baddiley, J. & Button, D.) 557
DAWES, E. A. *see* DAMOGLOU, A. P. 775
DAWSON, G. *see* CLAMP, J. R. 385
DELANEY, V. B. *see* SLATER, T. F. 15P
DENTON, R. M. & HALPERIN, M. L. The control of fatty acid and triglyceride synthesis in rat epididymal adipose tissue. Roles of coenzyme A derivatives, citrate and L-glycerol 3-phosphate 27
DEWHURST, P. B. *see* AKHTAR, M. 693
DILS, R. *see* WATTS, R. 51P
DIXON, H. B. F. & SEVERIN, E. S. Dissociation of the prosthetic group of aspartate aminotransferase 18P
DIXON, H. B. F. *see also* SEVERIN, E. S. 19P
DOD, B. J. & GRAY, G. M. The localization of the neutral glycosphingolipids in rat liver cells 50P
DODGSON, K. S. *see* THOMAS, J. H. 687
DONALD, A. S. R. *see* ASTON, W. P. 157; MARR, A. M. S. 789
DOUGLAS, L. J. *see* BADDILEY, J. 565
DOWNEY, W. K., KEOGH, M. K. & MURPHY, R. F. Lipid separation on Sephadex LH-20 13P
DUGGAN, P. F. *see* GOSLING, J. P. 19P
DUNNE, J., FENNELLY, J. J. & MCGEENEY, K. F. Shay chloroma alkaline phosphatase 12P
DUŠEK, Z. *see* HRADEC, J. 1

EATON, S. W. *see* VERNON, R. G. 725
EBBON, G. P. & CALLAGHAN, P. The conversion of *S*-*n*-propyl-L-cysteine into its sulphoxide by microsomal preparations from rat liver 33P
ELLIS, J. R. S. & GLOVER, J. Some aspects of menaquinone biosynthesis in *Escherichia coli* E106 22P
ELLIS, R. J. Stereospecifity of chloramphenicol inhibition of chloroplast ribosomes 42P
ELLIS, R. J. The use of *N*-ethylmaleimide in stabilizing and measuring inorganic sulphur compounds 43P
EMBERY, G. *see* LLOYD, A. G. 54P
EVANS, M. C. W., HALL, D. O., BOTHE, H. & WHATLEY, F. R. The stoicheiometry of electron transfer by bacterial and plant ferredoxins 485

FALCONER, I. R. & FIDDLER, T. J. The effect of actinomycin D and cycloheximide on the activation by prolactin of lipoprotein lipase in the mammary gland 56P
FALLA, F. *see* RYLE, A. P. 4P
FARMER, V. C. *see* BACON, J. S. D. 34P
FENNELLY, J. J. *see* DUNNE, J. 12P
FERNLEY, H. N. & WALKER, P. G. Effect of sodium chloride on *Escherichia coli* alkaline phosphatase 11P
FIDDLER, T. J. *see* FALCONER, I. R. 56P
FIELD, B. S. *see* BENTLEY, M. 46P
FINCHAM, N. J. *see* BARKER, P. J. 739
FITCH, L. I., PARR, C. W. & WELCH, S. G. Phosphoglucose isomerase variation in man 56P
FITT, E. A. *see* FITT, P. S. 475
FITT, P. S., FITT, E. A. & WILLE, H. A study by polyacrylamide-gel electrophoresis of the effect of proteolysis on *Micrococcus lysodeikticus* polynucleotide phosphorylase 475
FLETCHER, P. A. *see* PARISH, J. H. 39P
FLOCKHART, I. R., SMITH, R. L. & WILLIAMS, R. T. The fate of 4,5- and 5,6-dichloro-2-trifluoromethylbenzimidazole in the rat and rabbit 32P
FORREST, A. P. M. *see* JONES, T. 20P
FOTHERGILL, J. E. *see* FOTHERGILL, L. A. 36P
FOTHERGILL, L. A. & FOTHERGILL, J. E. Disulphide bonds of ovalbumins 36P
FOTTRELL, P. F. *see* MOONEY, P. 17P; O'HORA, A. 16P
FOWLER, L. J. *see* LLOYD, A. G. 54P
FOXWELL, C. J., BUCK, G. M. & BARON, D. N. Preparation of isolated multiple forms of rabbit brain aldolase 721
FRANKLIN, E. C. *see* CLAMP, J. R. 385
FUJISAKI, Y. *see* SCHMID, K. 34P

GAFFNEY, P. J., JUN. The human pseudocholinesterase system 12P
GATTI, G. L. *see* MICHALEK, H. 237
GEORGE, S. G. *see* WONG-LEUNG, Y. L. 5P
GERBECK, C. M. *see* BEZKOROVAINY, A. 765
GIGON, P. L. *see* HOLTZMAN, J. L. 407
GILLESPIE, J. M., HAYLETT, T. & LINDLEY, H. Evidence of homology in a high-sulphur protein fraction (SCMK-B2) of wool and hair α-keratins 193
GILLETTE, J. R. *see* HOLTZMAN, J. L. 407
GLOVER, J. *see* ELLIS, J. R. S. 22P
GOLDBERG, J. M. *see* CUNNINGHAM, W. L. 35P
GOSLING, J. P. & DUGGAN, P. F. Adaptation of baker's yeast to the oxidation of acetate 19P
GOULDEN, S. A. & CHATTAWAY, F. W. Lysine control of α-aminoadipate and penicillin synthesis in *Penicillium chrysogenum* 55P
GRAM, T. E. *see* HOLTZMAN, J. L. 407
GRANT, P. T. & REID, K. B. M. Biosynthesis of an insulin precursor by islet tissue of cod (*Gadus callarias*) 281
GRANT, P. T. *see also* REID, K. B. M. 289
GRAY, G. M. *see* DOD, B. J. 50P
GREEN, N. M. & ROSS, M. E. The effect of *N*-bromosuccinimide on the sub-unit structure of avidin and its complexes with biotin 59
GRIFFITHS, K. *see* JONES, T. 20P
GRIFFITHS, L. A. *see* DAS, N. P. 449
GROHLICH, D. *see* BEZKOROVAINY, A. 765

GROVER, P. L. & SIMS, P. Enzyme-catalysed reactions of polycyclic hydrocarbons with deoxyribonucleic acid and protein *in vitro* 159
GUPTA, S. L. & TALWAR, G. P. Effect of growth hormone on ribonucleic acid metabolism. The template activity of the chromatin and molecular species of ribonucleic acid synthesized after treatment with the hormone 401
GURR, M. I., ROBINSON, M. P., SWORD, R. W. & JAMES, A. T. On the tight coupling of phospholipid synthesis and fatty acid desaturation in *Chlorella vulgaris* 49P
GUTFREUND, H. Mechanisms of enzyme-catalysed hydrolysis reactions: present status and outstanding problems 2P

HAGUE, G. M. *see* ASTON, W. P. 157
HALL, D. O. *see* EVANS, M. C. W. 485
HALPERIN, M. L. *see* DENTON, R. M. 27
HAMILTON, T. *see* BELL, J. A. 29P; SMYTH, B. J. 28P
HARDWICK, D. C. Continuous coupled assay for acetylcoenzyme A production: correction of observed rates. *Appendix to*: The availability of carnitine acetyltransferase in mitochondria from guinea-pig liver and other tissues (Barker, P. J., Fincham, N. J. & Hardwick, D. C.) 747
HARDWICK, D. C. *see also* BARKER, P. J. 739
HARRAP, K. R. *see* JACKSON, R. C. 37P
HARRIS, W. J. & BARR, G. C. Some properties of deoxyribonucleic acid in competent *Bacillus subtilis* 38P
HARRISON, P. M. *see* WILLIAMS, M. A. 265
HARTLEY, B. S. Primary structures of serine proteinases 1P
HAY, A. J. *see* JOSS, A. 40P
HAYDON, A. J. & PEACOCKE, A. R. Sedimentation equilibrium and other physicochemical studies on the lysine-rich fraction of calf thymus histones 243
HAYLETT, T. & LINDLEY, H. The characterization of some peptides from the high-sulphur protein SCMK–B2 from Merino wool. *Appendix to*: Evidence of homology in a high-sulphur protein fraction (SCMK–B2) of wool and hair α-keratins (Gillespie, J. M., Haylett, T. & Lindley, H.) 198
HAYLETT, T. *see also* GILLESPIE, J. M. 193
HEATH, D. F. The redistribution of carbon label by the reactions involved in glycolysis, gluconeogenesis and the tricarboxylic acid cycle in rat liver 313
HEATH, D. F. & THRELFALL, C. J. The interaction of glycolysis, gluconeogenesis and the tricarboxylic acid cycle in rat liver *in vivo* 337
HEATH, D. F. *see also* THRELFALL, C. J. 303
HEDESKOV, C. J. Early effects of phytohaemagglutinin on glucose metabolism of normal human lymphocytes 373
HEIRWEGH, K. P. M. & MEUWISSEN, J. A. T. P. Activation *in vitro* and solubilization of glucuronyltransferase (assayed with bilirubin as acceptor) with digitonin 31P
HENDRICKX, H., VERBRUGGEN, R., ROSSENEU-MOTREFF, M. Y., BLATON, V. & PEETERS, H. The dipolar origin of protein relaxation 419
HIGGINSON, B. *see* BONANOU, S. 87
HLAVACKOVA, V. *see* BOUCEK, R. J. 435
HOCHACHKA, P. W. *see* SOMERO, G. N. 395
HOFMANN, W. *see* TRUMMER, V. K. 4P
HOLLENBERG, M. D. *see* RAUCH, R. 38P
HOLTZMAN, J. L., GRAM, T. E., GIGON, P. L. & GILLETTE, J. R. The distribution of the components of mixed-function oxidase between the rough and the smooth endoplasmic reticulum of liver cells 407
HOOPER, K. C. The effects of ovariectomy and injected oestradiol monobenzoate on polypeptide metabolism in the hypothalamus 151
HOPE, D. B. *see* RAUCH, R. 38P
HOPPER, D. J., CHAPMAN, P. J. & DAGLEY, S. Enzymic formation of D-malate 798
HOPPER, D. J. *see also* CHAPMAN, P. J. 491
HOUSE, W. *see* SMART, M. E. 48P
HRADEC, J. & DUŠEK, Z. Effect of lipids, in particular cholesteryl 14-methylhexadecanoate, on the incorporation of labelled amino acids into transfer ribonucleic acid *in vitro* 1
HÜBSCHER, G. *see* SRIVASTAVA, L. M. 607; VAVREČKA, M. 52P
HUEHNS, E. R. Haemoglobin 27P
HUSAIN, S. S. & LOWE, G. Evidence for histidine in the active sites of ficin and stem-bromelain 53
HUSBANDS, D. R. & LANDS, W. E. M. Properties of glycerol phosphate acyltransferase from pigeon liver particles 50P

INGLE, J. & BURNS, R. G. The loss of ribosomal ribonucleic acid during the preparation of nucleic acid from certain plant tissues by the detergent–phenol method 605
INGRAM, J. *see* KENNY, A. J. 6P

JACKSON, R. C., HARRAP, K. R. & SMITH, C. A. Binding of glutathione and cysteine to cellular protein by mixed disulphide bonds 37P
JAMES, A. T. *see* GURR, M. I. 49P
JARVIS, J. M. *see* MILSTEIN, C. 631
JEFFERY, J. *see* POCKLINGTON, T. 28P
JOHN, P. C. L. & SYRETT, P. J. The inhibition, by intermediary metabolites, of isocitrate lyase from *Chlorella pyrenoidosa* 481
JOHNSON, M. K. An enzyme in hen brain hydrolysing phenyl phenylacetate: a possible connection with the delayed neurotoxic effect of some organophosphorus compounds 13P
JOHNSON, P. & PERRY, S. V. Chemical studies on the cysteine and terminal peptides in tryptic digests of actin 207
JOLLÈS, P. Lysozymes 25P
JONES, P. & SUGGETT, A. The catalase–hydrogen peroxide system. A theoretical appraisal of the mechanism of catalase action 621
JONES, P. & SUGGETT, A. The catalase–hydrogen peroxide system. Kinetics of catalatic action at high substrate concentrations 617
JONES, T., GRIFFITHS, K. & FORREST, A. P. M. Ultramicrochemical studies on the site of formation of dehydroepiandrosterone sulphate in the adrenal cortex 20P
JONES-MORTIMER, M. C. Positive control of sulphate reduction in *Escherichia coli*. Isolation, characterization and mapping of cysteineless mutants of *E. coli* K12 589
JONES-MORTIMER, M. C. Positive control of sulphate reduction in *Escherichia coli*. The nature of the pleiotropic cysteineless mutants of *E. coli* K12 597
JOSS, A., HAY, A. J., SKEHEL, J. J. & BURKE, D. C. Protein components of fowl-plague virus 40P

KANAGALINGAM, K. *see* BONANOU, S. 87
KEIR, H. M. *see* MORRISON, J. M. 39P
KELLEHER, J. & LOSOWSKY, M. S. The absorption of vitamin E in man 20P
KEMP, R. J. & MERCER, E. I. Studies on the sterols and sterol esters of the intracellular organelles of maize shoots 119
KEMP, R. J. & MERCER, E. I. The sterol esters of maize seedlings 111
KENNY, A. J., WONG-LEUNG, Y. L. & INGRAM, J. A comparison of enzymes in rat kidney that hydrolyse L-leucinamide, L-leucyl-*p*-nitroanilide and [^{125}I]iodinated insulin B chain 6P
KENNY, A. J. *see also* WONG-LEUNG, Y. L. 5P
KEOGH, M. K. *see* DOWNEY, W. K. 13P
KILLILEA, S. D. & Ó CARRA, P. Amino acids involved in chromophore–protein linkages in phycoerythrins 14P

KING, R. F. G. J. & PAGE, E. R. Ferrochelatase of lettuce chloroplasts 45P
KODICEK, E. *see* ANTONOWICZ, I. 609
KREBS, H. A. *see* BATES, M. W. 655

LABAT, J. *see* SCHMID, K. 34P
LACY, D. *see* BELL, J. B. G. 58P
LANDS, W. E. M. *see* HUSBANDS, D. R. 50P
LAW, B. A. *see* LLOYD, A. G. 54P
LAWLER, P. D. & ROGERS, L. J. Inhibition of photophosphorylation by 1,1,1-trichloro-2,2-bis-(*p*-chlorophenyl)-ethane (DDT) 381
LECLERC, J. *see* RYLE, A. P. 4P
LEE, J. J. & BERNS, D. S. Protein aggregation. Studies of larger aggregates of C-phycocyanin 457
LEE, J. J. & BERNS, D. S. Protein aggregation. The effect of deuterium oxide on large protein aggregates of C-phycocyanin 465
LEONARD, P. J., MORRIS, W. P. & BROWN, R. Sodium, potassium, calcium and magnesium contents in nails of children with kwashiorkor 22P
LETTERS, R. *see* CAWLEY, T. N. 9P
LEVENBOOK, L. *see* BODNARYK, R. P. 771
LEVVY, G. A. *see* SNAITH, S. M. 663
LINDLEY, H. *see* GILLESPIE, J. M. 193; HAYLETT, T. 198
LINFORD, E. The hexokinase of boar spermatozoa 45P
LLOYD, A. G., FOWLER, L. J., EMBERY, G. & LAW, B. A. Degradation of [^{35}S]heparin by mammalian and bacterial sulphamidases 54P
LLOYD, A. G., LAW, B. A., FOWLER, L. J. & EMBERY, G. Bacterial carbohydrate sulphamidase induction and heparin degradation 54P
LONDESBOROUGH, J. C. & DALZIEL, K. The equilibrium constant of the isocitrate dehydrogenase reaction 217
LONDESBOROUGH, J. C. *see also* DALZIEL, K. 223
LONG, W. & BURKE, D. C. The effect of infection with fowl-plague virus on protein synthesis in chick-embryo cells 41P
LOSOWSKY, M. S. *see* KELLEHER, J. 20P
LOWE, G. *see* HUSAIN, S. S. 53
LUSH, I. E. & COWEY, C. B. Genetic variation of cod and coalfish lactate dehydrogenase 33P

MACDOUGALL, J. C. *see* PHIZACKERLEY, P. J. R. 57P
MCGEENEY, K. F. *see* DUNNE, J. 12P
MACGILLIVRAY, A. J. The histones of some human tissues 181
MACGILLIVRAY, A. J. The histones of some human tissues 40P
MCNULTY, M. S. *see* WINDER, F. G. A. 10P
MAGEE, P. N. *see* SWANN, P. F. 39
MAGNUSSON, S. Homologies between thrombin and other serine proteinases 25P
MAHLER, R. *see* SMITH, S. G. 15P
MAINWARING, W. I. P. Changes in the ribonucleic acid metabolism of aging mouse tissues with particular reference to the prostate gland 79
MALCOLM, B. R. Multilayer formation by a compressed monolayer of poly-ε-benzyloxycarbonyl-L-lysine 733
MANNERS, D. J. & ROWE, K. L. The specificity of barley limit dextrinase 35P
MARCHBANKS, R. M. The uptake of [^{14}C]choline into synaptosomes *in vitro* 533
MARINO, G. & BUONOCORE, V. Mass-spectrometric identification of 1-dimethylaminonaphthalene-5-sulphonyl-amino acids 603
MARINO, G. *see also* BERGAMI, M. 471
MARR, A. M. S., DONALD, A. S. R. & MORGAN, W. T. J. Two new oligosaccharides obtained from an Le^a-active glycoprotein 789
MARSHALL, C. L. & BROWN, A. D. The membrane lipids of *Halobacterium halobium* 441
MAWER, E. B. & STANBURY, S. W. Metabolism of vitamin D_3 in man 53P
MERCER, E. I. *see* KEMP, R. J. 111, 119
MEUWISSEN, J. A. T. P. *see* HEIRWEGH, K. P. M. 31P
MICHALEK, H., GATTI, G. L. & POCCHIARI, F. Effect of triperidol on carbohydrate and amino acid metabolism in rat brain-cortex slices 237
MIDGLEY, J. E. M. *see* PIGOTT, G. H. 251
MILSTEIN, C. A simple procedure for the fractionation of the tryptic peptides of the *C*-terminal half of immunoglobulin λ-chains. *Appendix to*: Immunoglobulin λ-chains. The complete amino acid sequence of a Bence-Jones protein (Milstein, C., Clegg, J. B. & Jarvis, J. M.) 652
MILSTEIN, C. The heterogeneity of human immunoglobulins 26P
MILSTEIN, C., CLEGG, J. B. & JARVIS, J. M. Immunoglobulin λ-chains. The complete amino acid sequence of a Bence-Jones protein 631
MILSTEIN, C. P. An application of diagonal electrophoresis to the selective purification of serine phosphate peptides. Serine phosphate peptides from ovalbumin 127
MITCHELL, M. P. *see* VAVREČKA, M. 52P
MOONEY, P. & FOTTRELL, P. F. The induction of glutamate dehydrogenase and aspartate aminotransferase in *Rhizobium* 17P
MORGAN, W. T. J. *see* ASTON, W. P. 157; MARR, A. M. S. 789
MORRIS, W. P. *see* LEONARD, P. J. 22P
MORRISON, J. M. & KEIR, H. M. Further studies on the deoxyribonucleic acid exonuclease induced by herpes virus 39P
MOSES, V. & YUDKIN, M. D. Catabolite repression in *Escherichia coli*. A study of two hypotheses 135
MUNRO, H. N. *see* PRONCZUK, A. W. 783
MURPHY, P. M. Disulphide bonds in relation to the activity and structure of adenosine deaminase 17P
MURPHY, R. F. *see* DOWNEY, W. K. 13P
MURRAY, K. The formation of *O*-sulphates of serine and threonine in protein hydrolysates 155

NOBLE, D. W. & STURGEON, R. J. The purification and properties of some glycoside hydrolases 7P

OAKEY, R. E. *see* SHAHWAN, M. M. 30P
O'BRIEN, E. M. & TULLY, E. R. Studies on purified bovine spleen adenosine deaminase 17P
Ó CARRA, P. *see* KILLILEA, S. D. 14P
OFFORD, R. E. *see* BACKER, T. A. 3P
O'HARA, C. E. *see* CLANCY, M. J. 7P
O'HORA, A. & FOTTRELL, P. F. Isoenzymes of β-hydroxybutyrate dehydrogenase in *Rhizobium* spp. 16P

PAGE, E. R. *see* KING, R. F. G. J. 45P
PALACIOS, R., TARRAB, R. & SOBERÓN, G. Studies on the advent of ureotelism. Factors that render the hepatic arginase of the Mexican axolotl able to hydrolyse endogenous arginine 425
PARISH, J. H., FLETCHER, P. A. & BROWN, M. The presence of thiouridylic acid in soluble and ribosomal ribonucleic acid and the sensitivity of ribosomes to a thiol reagent 39P
PARKER, G. S. *see* WHITTAKER, P. A. 46P
PARR, C. W. *see* FITCH, L. I. 56P
PAWAN, G. L. S. Extraction and assay of the fat-mobilizing substance from urine of normal adult human subjects in various physiological states 52P
PEACOCKE, A. R. *see* HAYDON, A. J. 243
PEARSON, C. K. & BARNES, M. MCC. The absorption and distribution of tocochromanols in the rat 21P
PEETERS, H. *see* HENDRICKX, H. 419
PERKINS, H. R. Cell-wall mucopeptide of *Corynebacterium insidiosum* and *Corynebacterium sepedonicum* 47P

PERRY, S. V. *see* JOHNSON, P. 207
PHIZACKERLEY, P. J. R. & MACDOUGALL, J. C. Isomers of glucosaminylphosphatidylglycerol 57P
PIGOTT, G. H. & MIDGLEY, J. E. M. Characterization of rapidly labelled ribonucleic acid in *Escherichia coli* by deoxyribonucleic acid–ribonucleic acid hybridization 251
PITTS, J. D. *see* BEARD, P. 48P; SMART, M. E. 48P
POCCHIARI, F. *see* MICHALEK, H. 237
POCKLINGTON, T. & JEFFERY, J. New 3α-hydroxy steroid–nicotinamide–adenine dinucleotide oxidoreductase activity in crystalline enzyme preparations 28P
POGSON, C. I. Adipose-tissue pyruvate kinase. Properties and interconversion of two active forms 67
POOLE, A. R. & WILLIAMS, D. C. The role of lysosomal enzymes in malignant growth 6P
POON, W. M. & WOOD, T. Soluble and insoluble phosphofructokinase in rat muscle 792
PRONCZUK, A. W., BALIGA, B. S. & MUNRO, H. N. Effect of nucleoside triphosphate and magnesium ion concentration on the stability and function of rat liver polysomes *in vitro* 783

RAMSAY, W. N. M. *see* ALI, K. E. 36P
RATLEDGE, C. Some factors influencing mycobactin and salicylic acid production in *Mycobacterium smegmatis* 23P
RAUCH, R., HOLLENBERG, M. D. & HOPE, D. B. Isolation of a third neurophysin from bovine pituitary posterior lobes 38P
REID, K. B. M., GRANT, P. T. & YOUNGSON, A. The sequence of amino acids in insulin isolated from islet tissue of the cod (*Gadus callarias*) 289
REID, K. B. M. *see also* GRANT, P. T. 281
RISSEUW, P. S. *see* CLANCY, M. J. 7P
ROBERTS, W. *see* BENTLEY, M. 46P
ROBINSON, M. P. *see* GURR, M. I. 49P
ROBLERO, J. *see* RYAN, J. W. 795
ROBSON, B. *see* SENIOR, A. E. 511
ROGERS, L. J. *see* LAWLER, P. D. 381
ROOKLEDGE, K. A. *see* BELOFF-CHAIN, A. 529
ROONEY, S. A. *see* WINDER, F. G. A. 8P
ROSS, M. E. *see* GREEN, N. M. 59
ROSSENEU-MOTREFF, M. Y. *see* HENDRICKX, H. 419
ROTTENBERG, M. *see* TRUMMER, V. K. 4P
ROWE, K. L. *see* MANNERS, D. J. 35P
RYAN, E. *see* CLANCY, M. J. 7P
RYAN, J. W., ROBLERO, J. & STEWART, J. M. Inactivation of bradykinin in the pulmonary circulation 795
RYLE, A. P., LECLERC, J. & FALLA, F. The substrate specificity of pepsin C 4P

SAWYER, B. C. *see* SLATER, T. F. 15P
SCARDI, V. *see* BERGAMI, M. 471
SCHMID, K., LABAT, J. & FUJISAKI, Y. Isolation and characterization of a sialic acid-free β_1-glycoprotein of normal human plasma 34P
SENIOR, A. E., ROBSON, B. & SHERRATT, H. S. A. Biochemical effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids. Fatty acid oxidation 511
SENIOR, A. E. & SHERRATT, H. S. A. Biochemical effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids. Carbohydrate metabolism 521
SENIOR, A. E. & SHERRATT, H. S. A. Biochemical effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids. Oxidative phosphorylation and mitochondrial oxidation of pyruvate, 3-hydroxybutyrate and tricarboxylic acid-cycle intermediates 499
SEVERIN, E. S. & DIXON, H. B. F. Regeneration of aspartate aminotransferase from its apoenzyme 19P
SEVERIN, E. S. *see also* DIXON, H. B. F. 18P
SHAHWAN, M. M., OAKEY, R. E. & STITCH, S. R. Another pathway of oestriol biosynthesis in pregnancy 30P
SHARP, G. W. G. *see* ALBERTI, K. G. M. M. 42P
SHAUKAT, G. A. *see* ARCHIBALD, A. R. 583
SHERRATT, H. S. A. *see* SENIOR, A. E. 499, 511, 521
SIMS, P. *see* GROVER, P. L. 159
SINGHAL, R. L. & VALADARES, J. R. E. Metabolic control mechanism in mammalian systems. Hormonal regulation of phosphofructokinase in the rat prostate and seminal vesicles 703
SKEHEL, J. J. & BURKE, D. C. Ribonucleic acid synthesis in fowl-plague-virus-infected chick-embryo cells 41P
SKEHEL, J. J. *see also* JOSS, A. 40P
SLATER, T. F., SAWYER, B. C., DELANEY, V. B. & BULLOCK, G. The effects of sporidesmin and icterogenin on bile flow in the isolated perfused rat liver 15P
SMART, M. E., HOUSE, W. & PITTS, J. D. Immunological evidence for the absence of a polyoma-virus-specific deoxyribonucleic acid polymerase 48P
SMELLIE, R. M. S. *see* BILLING, R. J. 30P
SMITH, C. A. *see* JACKSON, R. C. 37P
SMITH, D. W. & WILLIAMS, R. J. P. Analysis of the visible spectra of some sperm-whale ferrimyoglobin derivatives 297
SMITH, R. L. *see* FLOCKHART, I. R. 32P
SMITH, S. G., BELCHER, R. V., MAHLER, R. & YUDKIN, J. Bile and faecal porphyrins in the quiescent phase of variegate porphyria 15P
SMYTH, B. J., SNEDDON, A. & HAMILTON, T. Influence of light and 9,10-dimethylbenz[*a*]anthracene on rat ovarian steroidogenesis: phenolic steroids 28P
SNAITH, S. M. & LEVVY, G. A. Purification and properties of α-D-mannosidase from jack-bean meal 663
SNEDDON, A. *see* BELL, J. A. 29P; SMYTH, B. J. 28P
SOBERÓN, G. *see* PALACIOS, R. 425
SOMERO, G. N. & HOCHACHKA, P. W. The effect of temperature on catalytic and regulatory functions of pyruvate kinases of the rainbow trout and the Antarctic fish *Trematomus bernacchii* 395
SOURKES, T. L. *see* WONG, K. P. 99
SPANNER, S. *see* ANSELL, G. B. 201
SRIVASTAVA, B. I. S. Studies on the chromatin of barley leaves during senescence 683
SRIVASTAVA, L. M. & HÜBSCHER, G. The effect of age on glycolytic and hexokinase activities in the mucosa of rat small intestine 607
STANBURY, S. W. *see* MAWER, E. B. 53P
STEVELY, W. S. & STOCKEN, L. A. Variations in the phosphate content of histone F1 in normal and irradiated tissues 187
STEVENSON, E. The carnitine-independent oxidation of palmitate plus malate by moth flight-muscle mitochondria 105
STEWART, J. M. *see* RYAN, J. W. 795
STICKLER, D. J. & TUCKER, R. G. Effect of 5-fluorodeoxyuridine on the induction of the *Bacillus subtilis* phage ϕ3610 11P
STITCH, S. R. *see* SHAHWAN, M. M. 30P
STOCKEN, L. A. *see* STEVELY, W. S. 187
STURGEON, R. J. *see* NOBLE, D. W. 7P
SUGGETT, A. *see* JONES, P. 617, 621
SULLIVAN, P. A. Crystallization and properties of L-lactate oxidase from *Mycobacterium smegmatis* 363
SUTHERLAND, I. W. & WILKINSON, J. F. The exopolysaccharide of *Klebsiella aerogenes* A3 (Sl) (type 54). The isolation of *O*-acetylated octasaccharide, tetrasaccharide and trisaccharide 749
SWANN, P. F. The rate of breakdown of methyl methanesulphonate, dimethyl sulphate and *N*-methyl-*N*-nitrosourea in the rat 49

SWANN, P. F. & MAGEE, P. N. Nitrosamine-induced carcinogenesis. The alkylation of nucleic acids of the rat by *N*-methyl-*N*-nitrosourea, dimethylnitrosamine, dimethyl sulphate and methyl methanesulphonate 39
SWORD, R. W. *see* GURR, M. I. 49P
SYNER, F. N. *see* DABICH, D. 713
SYRETT, P. J. *see* JOHN, P. C. L. 481

TALWAR, G. P. *see* GUPTA, S. L. 401
TAN, Y. H. & BOWNESS, J. M. Canine submandibular-gland hyaluronidase. Identification and subcellular distribution 9
TAN, Y. H. & BOWNESS, J. M. Canine submandibular-gland hyaluronidase. Purification and properties 19
TARRAB, R. *see* PALACIOS, R. 425
THOMAS, J. H., DODGSON, K. S. & TUDBALL, N. The pyridoxal- and pyridoxal 5′-phosphate-catalysed non-enzymic degradations of L-serine *O*-sulphate and related compounds 687
THRELFALL, C. J. & HEATH, D. F. Compartmentation between glycolysis and gluconeogenesis in rat liver 303
THRELFALL, C. J. *see also* HEATH, D. F. 337
TRUMMER, V. K., HOFMANN, W. & ROTTENBERG, M. On the allosteric-effector specificity of trypsin substrates 4P
TUCKER, R. G. *see* STICKLER, D. J. 11P
TUDBALL, N. *see* THOMAS, J. H. 687
TULLY, E. R. *see* O'BRIEN, E. M. 17P

VALADARES, J. R. E. *see* SINGHAL, R. L. 703
VAVREČKA, M., MITCHELL, M. P. & HÜBSCHER, G. The incorporation of [^{14}C]palmitate into glycerides and phospholipids of liver homogenates from fed and starved rats 52P
VELDINK, G. A., VLIEGENTHART, J. F. G. & BOLDINGH, J. The enzymic conversion of 13-hydroperoxy-*cis*-9-*trans*-11-octadecadienoic acid into 13-hydroxy-12-oxo-*cis*-9-octadecenoic acid 58P
VERBRUGGEN, R. *see* HENDRICKX, H. 419
VERNON, R. G., EATON, S. W. & WALKER, D. G. Carbohydrate formation from various precursors in neonatal rat liver 725
VINSON, G. P. *see* BELL, J. B. G. 58P
VLIEGENTHART, J. F. G. *see* VELDINK, G. A. 58P

WALKER, D. G. *see* VERNON, R. G. 725
WALKER, P. G. *see* FERNLEY, H. N. 11P
WATTS, R. & DILS, R. Gas–liquid chromatography of monoglycerides and diglycerides 51P
WEISS, J. B. *see* BREARLEY, G. M. 413
WELCH, S. G. *see* FITCH, L. I. 56P
WHATLEY, F. R. *see* EVANS, M. C. W. 485
WHITTAKER, P. A. & PARKER, G. S. A mutant strain of *Escherichia coli* requiring lipoic acid for normal growth 46P
WILKINSON, J. F. *see* SUTHERLAND, I. W. 749
WILLE, H. *see* FITT, P. S. 475
WILLIAMS, D. C. *see* POOLE, A. R. 6P
WILLIAMS, M. A. & HARRISON, P. M. Electron-microscopic and chemical studies of oligomers in horse ferritin 265
WILLIAMS, R. J. P. *see* SMITH, D. W. 297
WILLIAMS, R. T. *see* FLOCKHART, I. R. 32P
WILLIAMSON, D. H. *see* BATES, M. W. 655; BROCK, D. J. H. 677
WINDER, F. G. A., MCNULTY, M. S. & CALLENDER, L. A. Partial purification of deoxyribonucleic acid polymerase from *Mycobacterium smegmatis* 10P
WINDER, F. G. A. & ROONEY, S. A. The effect of isoniazid on the alkali-extractable polysaccharides of *Mycobacterium tuberculosis* 8P
WONG, K. P. & SOURKES, T. L. Glucuronidation of 3-*O*-methylnoradrenaline, harmalol and some related compounds 99
WONG-LEUNG, Y. L., GEORGE, S. G., APARICIO, S. G. R. & KENNY, A. J. The intracellular localization of some particulate peptidases in the kidney of the rat and the rabbit 5P
WONG-LEUNG, Y. L. & KENNY, A. J. Some properties of a microsomal peptidase in rat kidney 5P
WONG-LEUNG, Y. L. *see also* KENNY, A. J. 6P
WOOD, T. *see* POON, W. M. 792

YOUNGSON, A. *see* REID, K. B. M. 289
YUDKIN, J. *see* SMITH, S. G. 15P
YUDKIN, M. D. *see* MOSES, V. 135

Index of Subjects

Note. Pages in *Proceedings of The Biochemical Society* are distinguished by P.

Acetate, adaptation of baker's yeast to oxidation of (Gosling, J. P. & Duggan, P. F.) 19P

Acetate, lipid content and phosphate requirement of *Escherichia coli* grown on (Damoglou, A. P. & Dawes, E. A.) 775

Acetyl-coenzyme A, correction of observed rates in continuous coupled assay for production of (Hardwick, D. C.) 747

Acetyl-coenzyme A, transfer of, out of mitochondria (Barker, P. J., Fincham, N. J. & Hardwick, D. C.) 739

N-Acetylneuraminic acid, method for quantitative determination of monosaccharides, amino sugars and (Brearley, G. M. & Weiss, J. B.) 413

Actin, chemical studies on cysteine-containing and terminal peptides in tryptic digests of (Johnson, P. & Perry, S. V.) 207

Adenosine deaminase, disulphide bonds in relation to activity and structure of (Murphy, P. M.) 17P

Adenosine deaminase, spleen, bovine, purified, studies on (O'Brien, E. M. & Tully, E. R.) 17P

Adipose tissue, epididymal, rat, properties and interconversion of two active forms of pyruvate kinase of (Pogson, C. I.) 67

Adipose tissue, epididymal, rat, roles of coenzyme A derivatives, citrate and L-glycerol 3-phosphate in control of fatty acid and triglyceride synthesis in (Denton, R. M. & Halperin, M. L.) 27

Albumin, serum, bovine, dielectric behaviour of monomer solutions of (Hendrickx, H., Verbruggen, R., Rosseneu-Motreff, M. Y., Blaton, V. & Peeters, H.) 419

Aldolase, brain, rabbit, preparation of isolated multiple forms of (Foxwell, C. J., Buck, G. M. & Baron, D. N.) 721

Aldosterone, nuclear binding of, in toad bladder (Alberti, K. G. M. M. & Sharp, G. W. G.) 42P

Alkaline phosphatase, *see* Phosphatase, alkaline

Alloxan-diabetes, *see* Diabetes, alloxan-

Amino acid composition of oligomers of horse ferritin (Williams, M. A. & Harrison, P. M.) 265

Amino acid sequence, complete, of a λ Bence-Jones protein (Milstein, C., Clegg, J. B. & Jarvis, J. M.) 631

Amino acid sequence of cod insulin (Reid, K. B. M., Grant, P. T. & Youngson, A.) 289

Amino acid sequences of some peptides derived from a high-sulphur protein fraction of wool and hair α-keratins (Gillespie, J. M., Haylett, T. & Lindley, H.) 193

Amino acids, 1-dimethylaminonaphthalene-5-sulphonyl-, mass-spectrometric identification of (Marino, G. & Buonocore, V.) 603

Amino acids, effect of triperidol on metabolism of, in rat brain-cortex slices (Michalek, H., Gatti, G. L. & Pocchiari, F.) 237

Amino acids, hydroxy, non-enzymic degradation of *O*-sulphate esters of, catalysed by pyridoxal and pyridoxal 5′-phosphate (Thomas, J. H., Dodgson, K. S. & Tudball, N.) 687

Amino acids, labelled, effect of lipids, in particular cholesteryl 14-methylhexadecanoate, on incorporation of, into transfer ribonucleic acid *in vitro* (Hradec, J. & Dušek, Z.) 1

Amino sugars, method for quantitative determination of monosaccharides, *N*-acetylneuraminic acid and (Brearley, G. M. & Weiss, J. B.) 413

Aminoethylcysteinyl peptide bonds, tryptic hydrolysis of (Reid, K. B. M., Grant, P. T. & Youngson, A.) 289

β-Amylase, wheat, inhibition of (Clancy, M. J., O'Hara, C. E., Risseeuw, P. S. & Ryan, E.) 7P

Anacystis nidulans, stoicheiometry of electron transfer by ferredoxin of (Evans, M. C. W., Hall, D. O., Bothe, H. & Whatley, F. R.) 485

Anions, inorganic, univalent, influence of, on visible-absorption spectrum of aspartate aminotransferase (Bergami, M., Marino, G. & Scardi, V.) 471

Arginase, liver, axolotl, factors rendering, able to hydrolyse endogenous arginine (Palacios, R., Tarrab, R. & Soberón, G.) 425

Arginine, endogenous, factors rendering hepatic arginase of the axolotl able to hydrolyse (Palacios, R., Tarrab, R. & Soberón, G.) 425

Aryl β-galactosides, kinetic studies of action of three separated fractions of rat small-intestinal β-galactosidases on (Asp, N.-G. & Dahlqvist, A.) 143

Ascorbic acid, effect of deficiency of, on glycosaminoglycans of granulation tissue and costal cartilage (Antonowicz, I. & Kodicek, E.) 609

Aspartate aminotransferase, dissociation of prosthetic group of (Dixon, H. B. F. & Severin, E. S.) 18P

Aspartate aminotransferase, induction of, in *Rhizobium* (Mooney, P. & Fottrell, P. F.) 17P

Aspartate aminotransferase, influence of chloride and other univalent inorganic ions on visible-absorption spectrum of (Bergami, M., Marino, G. & Scardi, V.) 471

Aspartate aminotransferase, regeneration of, from its apoenzyme (Severin, E. S. & Dixon, H. B. F.) 19P

Avidin, effect of *N*-bromosuccinimide on sub-unit structure of, and its complexes with biotin (Green, N. M. & Ross, M. E.) 59

Axolotl, Mexican, factors rendering hepatic arginase of, able to hydrolyse endogenous arginine (Palacios, R., Tarrab, R. & Soberón, G.) 425

Bacillus subtilis, competent, properties of deoxyribonucleic acid in (Harris, W. J. & Barr, G. C.) 38P

Bacteriophage φ3610, *Bacillus subtilis*, effect of 5-fluorodeoxyuridine on induction of (Stickler, D. J. & Tucker, R. G.) 11P

Barley, inhibition of photophosphorylation in, by 1,1,1-trichloro-2,2-bis-(*p*-chlorophenyl)ethane (DDT) (Lawler, P. D. & Rogers, L. J.) 381

Barley leaves, chromatin of, during senescence (Srivastava, B. I. S.) 683

Barley, specificity of limit dextrinase of (Manners, D. J. & Rowe, K. L.) 35P

Bence-Jones protein, λ, complete amino acid sequence of (Milstein, C., Clegg, J. B. & Jarvis, J. M.) 631

Bicarbonate or carbon dioxide as substrate of nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase and 'malic' enzyme (Dalziel, K. & Londesborough, J. C.) 223

Bile, effects of sporidesmin and icterogenin on flow of, in isolated perfused rat liver (Slater, T. F., Sawyer, B. C., Delaney, V. B. & Bullock, G.) 15P

Biotin, effect of *N*-bromosuccinimide on sub-unit structure of complexes of avidin and (Green, N. M. & Ross, M. E.) 59

Blood group B-active glycoprotein, human, serologically active tetrasaccharide obtained from, by partial acid hydrolysis (Aston, W. P., Hague, G. M., Donald, A. S. R. & Morgan, W. T. J.) 157

Blood-group Le^a substance, two new oligosaccharides obtained from (Marr, A. M. S., Donald, A. S. R. & Morgan, W. T. J.) 789

Blood vessels, pulmonary, inactivation of bradykinin by enzymes at or near the endothelium of (Ryan, J. W., Roblero, J. & Stewart, J. M.) 795
Blowfly (*Phormia regina*), naturally occurring low-molecular-weight peptides from (Bodnaryk, R. P. & Levenbook, L.) 771
Bradykinin, inactivation of, in the pulmonary circulation (Ryan, J. W., Roblero, J. & Stewart, J. M.) 795
Brain cortex, rat, effect of triperidol on carbohydrate and amino acid metabolism in slices of (Michalek, H., Gatti, G. L. & Pocchiari, F.) 237
Brain, rabbit, preparation of isolated multiple forms of aldolase from (Foxwell, C. J., Buck, G. M. & Baron, D. N.) 721
Brain, rat, adult, purification and properties of esterases characteristic of (Dabich, D., Chakrapani, B. & Syner, F. N.) 713
Brain, rat, metabolism of [*Me*-^{14}C]choline in, *in vivo* (Ansell, G. B. & Spanner, S.) 201
Bromelain, stem-, evidence for histidine in the active site of (Husain, S. S. & Lowe, G.) 53
N-Bromosuccinimide, effect of, on sub-unit structure of avidin and its complexes with biotin (Green, N. M. & Ross, M. E.) 59
Bronchial tumour, human, histones of (MacGillivray, A. J.) 181

Calf, sedimentation-equilibrium and other physicochemical studies on lysine-rich fraction of thymus histones of (Haydon, A. J. & Peacocke, A. R.) 243
Carbohydrate, content of, of glucose-grown and acetate-grown *Escherichia coli* (Damoglou, A. P. & Dawes, E. A.) 775
Carbohydrate, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on metabolism of, in rat tissues *in vitro* (Senior, A. E. & Sherratt, H. S. A.) 521
Carbohydrate, formation of, from various precursors in neonatal rat liver (Vernon, R. G., Eaton, S. W. & Walker, D. G.) 725
Carbohydrates, effect of triperidol on metabolism of, in rat brain-cortex slices (Michalek, H., Gatti, G. L. & Pocchiari, F.) 237
Carbon dioxide or bicarbonate as substrate of nicotinamide–adenine dinucleotide phosphate-linked isocitrate dehydrogenase and 'malic' enzyme (Dalziel, K. & Londesborough, J. C.) 223
Carbon label, redistribution of, by the reactions involved in glycolysis, gluconeogenesis and the tricarboxylic acid cycle in rat liver (Heath, D. F.) 313
Carnitine acetyltransferase, availability of, in mitochondria from guinea-pig liver and other tissues (Barker, P. J., Fincham, N. J. & Hardwick, D. C.) 739
Carnitine, lack of dependence on, of oxidation of palmitate plus malate by moth flight-muscle mitochondria (Stevenson, E.) 105
Cartilage, costal, guinea-pig, effect of scurvy on glycosaminoglycans of (Antonowicz, I. & Kodicek, E.) 609
Catabolite repression, study of two hypotheses of, in *Escherichia coli* (Moses, V. & Yudkin, M. D.) 135
Catalase, kinetics of action of, at high concentrations of hydrogen peroxide (Jones, P. & Suggett, A.) 617
Catalase, theoretical appraisal of the mechanism of action of (Jones, P. & Suggett, A.) 621
(+)-Catechin, metabolism of, in the guinea pig (Das, N. P. & Griffiths, L. A.) 449
Cell wall, biosynthesis of teichoic acid of, in *Staphylococcus lactis* I3 (Baddiley, J., Blumsom, N. L. & Douglas, L. J.) 565
Cell wall, glycerol teichoic acid of, of *Staphylococcus epidermidis* I2 (Archibald, A. R., Baddiley, J. & Shaukat, G. A.) 583
Cell wall, glycerol teichoic acid of, of *Staphylococcus lactis* I3 (Archibald, A. R., Baddiley, J. & Button, D.) 543
Chick embryo, synthesis and degradation of collagen in developing corium of (Boucek, R. J. & Hlavackova, V.) 435
Chlorella pyrenoidosa, inhibition of isocitrate lyase of, by intermediary metabolites (John, P. C. L. & Syrett, P. J.) 481
Chlorella vulgaris, tight coupling of phospholipid synthesis and fatty acid desaturation in (Gurr, M. I., Robinson, M. P., Sword, R. W. & James, A. T.) 49P
Chloride ions, influence of, on visible-absorption spectrum of aspartate aminotransferase (Bergami, M., Marino, G. & Scardi, V.) 471
Cholecalciferol, metabolism of, in man (Mawer, E. B. & Stanbury, S. W.) 53P
Cholesteryl 14-methylhexadecanoate, effect of, on incorporation of labelled amino acids into transfer ribonucleic acid *in vitro* (Hradec, J. & Dušek, Z.) 1
[*Me*-^{14}C]Choline, metabolism of, in rat brain *in vivo* (Ansell, G. B. & Spanner, S.) 201
Choline phosphate, characterization of pneumococcal C-substance as a ribitol teichoic acid containing (Brundish, D. E. & Baddiley, J.) 573
[^{14}C]Choline, uptake of, into synaptosomes *in vitro* (Marchbanks, R. M.) 533
Chromatin of barley leaves during senescence (Srivastava, B. I. S.) 683
Chromatin, template activity of, and molecular species of ribonucleic acid synthesized after treatment with growth hormone (Gupta, S. L. & Talwar, G. P.) 401
Chromatium strain D, stoicheiometry of electron transfer by ferredoxin of (Evans, M. C. W., Hall, D. O., Bothe, H. & Whatley, F. R.) 485
Chymotrypsin, tertiary structure and enzymic activity of (Blow, D. M.) 2P
Citrate, role of, in control of fatty acid and triglyceride synthesis in rat epididymal adipose tissue (Denton, R. M. & Halperin, M. L.) 27
Citric acid cycle, *see* Tricarboxylic acid cycle
Clearing-factor lipase, effects of actinomycin D and cycloheximide on activation by production of, in mammary gland (Falconer, I. R. & Fiddler, T. J.) 56P
Clostridium welchii, stoicheiometry of electron transfer by ferredoxin of (Evans, M. C. W., Hall, D. O., Bothe, H. & Whatley, F. R.) 485
Cod (*Gadus callarias*), amino acid sequence of insulin of (Reid, K. B. M., Grant, P. T. & Youngson, A.) 289
Cod (*Gadus callarias*), biosynthesis of an insulin precursor by islet tissue of (Grant, P. T. & Reid, K. B. M.) 281
Coenzyme A derivatives, role of, in control of fatty acid and triglyceride synthesis in rat epididymal adipose tissue (Denton, R. M. & Halperin, M. L.) 27
Collagen, synthesis and degradation of, in developing corium of the chick embryo (Boucek, R. J. & Hlavackova, V.) 435
Conalbumin, hen's-egg, reduced–alkylated and sulphitolysed, physical-chemical properties of (Bezkorovainy, A., Grohlich, D. & Gerbeck, C. M.) 765
Corium, developing, synthesis and degradation of collagen in, of the chick embryo (Boucek, R. J. & Hlavackova, V.) 435
Corynebacterium insidiosum and *Corynebacterium sepedonicum*, cell-wall mucopeptide of (Perkins, H. R.) 47P
Corynebacterium xerosis, free trehalose in (Brennan, P. J.) 9P
Cysteine, binding of, to cellular protein by mixed disulphide bonds (Jackson, R. C., Harrap, K. R. & Smith, C. A.) 37P
Cysteine, chemical studies on peptides containing, in tryptic digests of actin (Johnson, P. & Perry, S. V.) 207
Cysteine, isolation, characterization and mapping of mutants of *Escherichia coli* K12 deficient in the biosynthesis of (Jones-Mortimer, M. C.) 589

Cysteine, nature of pleiotropic mutants of *Escherichia coli* K12 deficient in the biosynthesis of (Jones-Mortimer, M. C.) 597

DDT, *see* 1,1,1-Trichloro-2,2-bis-(*p*-chlorophenyl)ethane
Dehydroepiandrosterone sulphate, site of formation of, in adrenal cortex (Jones, T., Griffiths, K. & Forrest, A. P. M.) 20P
Deoxyribonucleic acid, characterization of rapidly labelled ribonucleic acid of *Escherichia coli* by hybridization to (Pigott, G. H. & Midgley, J. E. M.) 251
Deoxyribonucleic acid, enzyme-catalysed reactions of polycyclic hydrocarbons with, *in vitro* (Grover, P. L. & Sims, P.) 159
Deoxyribonucleic acid exonuclease, further studies on, induced by herpes virus (Morrison, J. M. & Keir, H. M.) 39P
Deoxyribonucleic acid polymerase, partial purification of, from *Mycobacterium smegmatis* (Winder, F. G. A., McNulty, M. S. & Callender, L. A.) 10P
Deoxyribonucleic acid polymerase, polyoma-virus-specific, immunological evidence for absence of (Smart, M. E., House, W. & Pitts, J. D.) 48P
Deoxyribonucleic acid, properties of, in competent *Bacillus subtilis* (Harris, W. J. & Barr, G. C.) 38P
Deoxyribonucleic acids, alkylation of, of the rat by *N*-methyl-*N*-nitrosourea, dimethylnitrosamine, dimethyl sulphate and methyl methanesulphonate (Swann, P. F. & Magee, P. N.) 39
Deuterium oxide, effect of, on large aggregates of C-phycocyanin (Lee, J. J. & Berns, D. S.) 465
Dextrinase, limit, barley, specificity of (Manners, D. J. & Rowe, K. L.) 35P
Diabetes, alloxan-, effect of, on turnover rate of ketone bodies in the rat (Bates, M. W., Krebs, H. A. & Williamson, D. H.) 655
Diabetes, streptozotocin-, effect of, on metabolism of glucose in rat diaphragm muscle (Beloff-Chain, A. & Rookledge, K. A.) 529
Diaminotrideoxyhexose, presence of, in pneumococcal C-substance (Brundish, D. E. & Baddiley, J.) 573
Diaphragm muscle, metabolism of glucose in, from normal rats, from streptozotocin-diabetic rats and from rats treated with anti-insulin serum (Beloff-Chain, A. & Rookledge, K. A.) 529
4,5- and 5,6-Dichloro-2-trifluoromethylbenzimidazole, fate of, in the rat and rabbit (Flockhart, I. R., Smith, R. L. & Williams, R. T.) 32P
Diketo acid hydrolase, purification of, from rat liver and its use for determination of 3,5-dioxohexanoate (Brock, D. J. H. & Williamson, D. H.) 677
Dimethyl sulphate, alkylation of nucleic acids of the rat by (Swann, P. F. & Magee, P. N.) 39
Dimethyl sulphate, rate of breakdown of, in the rat (Swann, P. F.) 49
1-Dimethylaminonaphthalene-5-sulphonyl-amino acids, mass-spectrometric identification of (Marino, G. & Buonocore, V.) 603
Dimethylnitrosamine, alkylation of nucleic acids of the rat by (Swann, P. F. & Magee, P. N.) 39
3,5-Dioxohexanoate, use of purified rat liver diketo acid hydrolase for determination of (Brock, D. J. H. & Williamson, D. H.) 677

Egg, hen's, physical-chemical properties of reduced–alkylated and sulphitolysed conalbumin of (Bezkorovainy, A., Grohlich, D. & Gerbeck, C. M.) 765
Electron transfer, stoicheiometry of, by bacterial and plant ferredoxins (Evans, M. C. W., Hall, D. O., Bothe, H. & Whatley, F. R.) 485
Embryo, chick, *see* Chick embryo
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Enzymes, hydrolytic (Colloquium) 1P
Epididymis, rat, properties and interconversion of two active forms of pyruvate kinase of adipose tissue of (Pogson, C. I.) 67
Epididymis, rat, roles of coenzyme A derivatives, citrate and L-glycerol 3-phosphate in control of fatty acid and triglyceride synthesis in adipose tissue of (Denton, R. M. & Halperin, M. L.) 27
Escherichia coli, characterization of rapidly labelled ribonucleic acid of, by hybridization to deoxyribonucleic acid (Pigott, G. H. & Midgley, J. E. M.) 251
Escherichia coli E106, menaquinone biosynthesis in (Ellis, J. R. S. & Glover, J.) 22P
Escherichia coli, effect of sodium chloride on alkaline phosphatase of (Fernley, H. N. & Walker, P. G.) 11P
Escherichia coli, glucose-grown and acetate-grown, lipid content and phosphate requirement of (Damoglou, A. P. & Dawes, E. A.) 775
Escherichia coli K12, isolation, characterization and mapping of cysteineless mutants of (Jones-Mortimer, M. C.) 589
Escherichia coli K12, nature of pleiotropic cysteineless mutants of (Jones-Mortimer, M. C.) 597
Escherichia coli mutant strain requiring lipoic acid for normal growth (Whittaker, P. A. & Parker, G. S.) 46P
Escherichia coli, study of two hypotheses of catabolite repression in (Moses, V. & Yudkin, M. D.) 135
Esterase, brain, hen, hydrolysing phenyl phenylacetate (Johnson, M. K.) 13P
Esterases, purification and properties of, characteristic of adult rat brain (Dabich, D., Chakrapani, B. & Syner, F. N.) 713
Exopolysaccharide, isolation of *O*-acetylated octasaccharide, tetrasaccharide and trisaccharide from, of *Klebsiella aerogenes* A3 (Sl) (type 54) (Sutherland, I. W. & Wilkinson, J. F.) 749

Fat-mobilizing substance, extraction and assay of, from urine of normal human subjects in various physiological states (Pawan, G. L. S.) 52P
Fatty acids, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on oxidation of, by rat liver mitochondria (Senior, A. E., Robson, B. & Sherratt, H. S. A.) 511
Fatty acids, roles of coenzyme A derivatives, citrate and L-glycerol 3-phosphate in control of synthesis of, in rat epididymal adipose tissue (Denton, R. M. & Halperin, M. L.) 27
Fatty acyl-coenzyme A synthetase, presence of, in moth flight-muscle mitochondria (Stevenson, E.) 105
Ferredoxins, bacterial and plant, stoicheiometry of electron transfer by (Evans, M. C. W., Hall, D. O., Bothe, H. & Whatley, F. R.) 485
Ferrimyoglobin, sperm-whale, analysis of the visible spectra of some derivatives of (Smith, D. W. & Williams, R. J. P.) 297
Ferritin, horse, electron-microscopic and chemical studies of oligomers in (Williams, M. A. & Harrison, P. M.) 265
Ferrochelatase of lettuce chloroplasts (King, R. F. G. J. & Page, E. R.) 45P
Ficin, evidence for histidine in the active site of (Husain, S. S. & Lowe, G.) 53
Fish, Antarctic (*Trematomus bernacchii*), effect of temperature on catalytic and regulatory functions of pyruvate kinase of (Somero, G. N. & Hochachka, P. W.) 395
5-Fluorodeoxyuridine, effect of, on induction of *Bacillus subtilis* bacteriophage ϕ3610 (Stickler, D. J. & Tucker, R. G.) 11P
Flux techniques, studies on the mechanism of reaction of rabbit muscle phosphoglucomutase by using (Britton, H. G. & Clarke, J. B.) 161

Fowl-plague virus, effect of infection with, on protein synthesis in chick-embryo cells (Long, W. & Burke, D. C.) 41P
Fowl-plague virus, protein components of (Joss, A., Hay, A. J., Skehel, J. J. & Burke, D. C.) 40P
Fowl-plague virus, ribonucleic acid synthesis in chick-embryo cells infected with (Skehel, J. J. & Burke, D. C.) 41P
[U-^{14}C]Fructose, metabolism of, in rat liver *in vivo* (Threlfall, C. J. & Heath, D. F.) 303
Fucose, method for quantitative determination of, in the presence of other sugars (Brearley, G. M. & Weiss, J. B.) 413
Fucosidases, bacteriophage-induced, hydrolysis of exopolysaccharide of *Klebsiella aerogenes* A3 (Sl) (type 54) by (Sutherland, I. W. & Wilkinson, J. F.) 749
4-Fumarylacetoacetate, hydrolysis of by purified rat liver diketo acid hydrolase (Brock, D. J. H. & Williamson, D. H.) 677

Gadus callarias, *see* Cod
β-Galactosidase, study of two hypotheses of catabolite repression of synthesis of, in *Escherichia coli* (Moses, V. & Yudkin, M. D.) 135
β-Galactosidases, small-intestine, rat, kinetic studies with three separated fractions of (Asp, N.-G. & Dahlqvist, A.) 143
Gentisate, metabolism of, by *Pseudomonas* N.C.I.B. 9867 (Hopper, D. J., Chapman, P. J. & Dagley, S.) 798
Glucan, yeast, presence of predominantly β-(1→6)-linked component in preparations of (Bacon, J. S. D. & Farmer, V. C.) 34P
Gluconeogenesis, compartmentation between glycolysis and, in rat liver (Threlfall, C. J. & Heath, D. F.) 303
Gluconeogenesis, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on, in rat tissues *in vitro* (Senior, A. E. & Sherratt, H. S. A.) 521
Gluconeogenesis in neonatal rat liver (Vernon, R. G., Eaton, S. W. & Walker, D. G.) 725
Gluconeogenesis, interaction of the tricarboxylic acid cycle, glycolysis and, in rat liver *in vivo* (Heath, D. F. & Threlfall, C. J.) 337
Gluconeogenesis, redistribution of carbon label by the reactions involved in the tricarboxylic acid cycle, glycolysis and, in rat liver (Heath, D. F.) 313
Glucosaminylphosphatidylglycerol, isolation of (Phizackerley, P. J. R. & MacDougall, J. C.) 57P
[^{14}C]Glucose, distribution of label from, in rat liver (Heath, D. F.) 313
Glucose, early effects of phytohaemagglutinin on metabolism of, of normal human lymphocytes (Hedeskov, C. J.) 373
Glucose, lipid content and phosphate requirement of *Escherichia coli* grown on (Damoglou, A. P. & Dawes, E. A.) 775
Glucose, metabolism of, in diaphragm muscle from normal rats, from streptozotocin-diabetic rats and from rats treated with anti-insulin serum (Beloff-Chain, A. & Rookledge, K. A.) 529
Glucose 6-phosphate, compartmentation of, in rat liver *in vivo* (Threlfall, C. J. & Heath, D. F.) 303
[^{14}C]Glucose, redistribution of label from, in rat liver *in vivo* (Heath, D. F. & Threlfall, C. J.) 337
Glucuronidation of 3-*O*-methylnoradrenaline, harmalol and some related compounds by a guinea-pig liver microsomal preparation (Wong, K. P. & Sourkes, T. L.) 99
Glucuronyltransferase, activation *in vitro* and solubilization of, with digitonin (Heirwegh, K. P. M. & Meuwissen J. A. T. P.) 31P
Glutamate dehydrogenase, activity of, in guinea-pig liver and other tissues (Barker, P. J., Fincham, N. J. & Hardwick, D. C.) 739
Glutamate dehydrogenase, induction of, in *Rhizobium* (Mooney, P. & Fottrell, P. F.) 17P
Glutathione, binding of, to cellular protein by mixed disulphide bonds (Jackson, R. C., Harrap, K. R. & Smith, C. A.) 37P
Glycerides, incorporation of [^{14}C]palmitate into, of homogenates of liver from fed and starved rats (Vavrečka, M., Mitchell, M. P. & Hübscher, G.) 52P
Glycerides, mono- and di-, gas–liquid chromatography of (Watts, R. & Dils, R.) 51P
Glycerol phosphate acyltransferase, properties of, from pigeon liver particles (Husbands, D. R. & Lands, W. E. M.) 50P
L-Glycerol 3-phosphate, role of, in control of fatty acid and triglyceride synthesis in rat epididymal adipose tissue (Denton, R. M. & Halperin, M. L.) 27
Glycerol teichoic acid, cell-wall, of *Staphylococcus epidermidis* I2 (Archibald, A. R., Baddiley, J. & Shaukat, G. A.) 583
Glycerol teichoic acid, cell-wall, of *Staphylococcus lactis* I3 (Archibald, A. R., Baddiley, J. & Button, D.) 543
Glycerophosphatides, ether analogues of, of the cell membrane of *Halobacterium halobium* (Marshall, C. L. & Brown, A. D.) 441
Glycolysis, compartmentation between gluconeogenesis and, in rat liver (Threlfall, C. J. & Heath, D. F.) 303
Glycolysis, effect of age on activity of, in mucosa of rat small intestine (Srivastava, L. M. & Hübscher, G.) 607
Glycolysis, interaction of the tricarboxylic acid cycle, gluconeogenesis and, in rat liver *in vivo* (Heath, D. F. & Threlfall, C. J.) 337
Glycolysis, redistribution of carbon label by the reactions involved in the tricarboxylic acid cycle, gluconeogenesis and, in rat liver (Heath, D. F.) 313
Glycopeptides, studies on, isolated from the urinary protein in heavy-chain disease (Clamp, J. R., Dawson, G. & Franklin, E. C.) 385
Glycoprotein, blood group B-active, human, serologically active tetrasaccharide obtained from, by partial acid hydrolysis (Aston, W. P., Hague, G. M., Donald, A. S. R. & Morgan, W. T. J.) 157
Glycoprotein, blood group Le^b-active, two new oligosaccharides obtained from (Marr, A. M. S., Donald, A. S. R. & Morgan, W. T. J.) 789
β_1-Glycoprotein, sialic acid-free, isolation and characterization of, of normal human plasma (Schmid, K., Labat, J. & Fujisaki, Y.) 34P
Glycosaminoglycans, determination of, present in various mammalian brains (Cunningham, W. L. & Goldberg, J M.) 35P
Glycosaminoglycans, effect of scurvy on, of granulation tissue and costal cartilage (Antonowicz, I. & Kodicek, E.) 609
Glycoside hydrolases, purification and properties of (Noble, D. W. & Sturgeon, R. J.) 7P
Glycosphingolipids, neutral, localization of, in rat liver cells (Dod, B. J. & Gray, G. M.) 50P
Granulation tissue, guinea-pig, effect of scurvy on glycosaminoglycans of (Antonowicz, I. & Kodicek, E.) 609
Growth hormone, template activity of the chromatin and molecular species of ribonucleic acid synthesized after treatment with (Gupta, S. L. & Talwar, G. P.) 401

Haemoglobin (Huehns, E. R.) 27P
Hair, bovine, evidence of homology in a high-sulphur protein fraction (SCMK–B2) of α-keratins of Merino wool and (Gillespie, J. M., Haylett, T. & Lindley, H.) 193
Halobacterium halobium, membrane lipids of (Marshall, C. L. & Brown, A. D.) 441
Harmalol, glucuronidation of, by a guinea-pig liver microsomal preparation (Wong, K. P. & Sourkes, T. L.) 99

Heavy-chain disease, studies on glycopeptides isolated from the urinary protein in (Clamp, J. R., Dawson, G. & Franklin, E. C.) 385
Hemicholinium no. 3, inhibition of uptake of [^{14}C]choline into synaptosomes *in vitro* by (Marchbanks, R. M.) 533
Heparin, bacterial carbohydrate sulphamidase induction and degradation of (Lloyd, A. G., Law, B. A., Fowler, L. J. & Embery, G.) 54P
[^{35}S]Heparin, degradation of, by mammalian and bacterial sulphamidases (Lloyd, A. G., Fowler, L. J., Embery, G. & Law, B. A.) 54P
Herpes virus, further studies on deoxyribonucleic acid exonuclease induced by (Morrison, J. M. & Keir, H. M.) 39P
Hexokinase, effect of age on activity of, in mucosa of rat small intestine (Srivastava, L. M. & Hübscher, G.) 607
Hexokinase of boar spermatozoa (Linford, E.) 45P
Histidine, evidence for, in the active sites of ficin and stem-bromelain (Husain, S. S. & Lowe, G.) 53
Histone F1, variations in phosphate content of, in normal and irradiated tissues (Stevely, W. S. & Stocken, L. A.) 187
Histone, formation of *O*-sulphates of serine and threonine in hydrolysates of (Murray, K.) 155
Histones of some human tissues (MacGillivray, A. J.) 181
Histones of some human tissues (MacGillivray, A. J.) 40P
Histones, thymus, calf, sedimentation-equilibrium and other physicochemical studies on lysine-rich fraction of (Haydon, A. J. & Peacocke, A. R.) 243
Hordeum vulgare L., *see* Barley
Horse, electron-microscopic and chemical studies of oligomers in ferritin of (Williams, M. A. & Harrison, P. M.) 265
Hyaluronidase, submandibular-gland, dog, identification and subcellular distribution of (Tan, Y. H. & Bowness, J. M.) 9
Hyaluronidase, submandibular-gland, dog, purification and properties of (Tan, Y. H. & Bowness, J. M.) 19
Hydrocarbons, polycyclic, enzyme-catalysed reactions of, with deoxyribonucleic acid and protein *in vitro* (Grover, P. L. & Sims, P.) 159
Hydrogen peroxide, kinetics of catalase action at high concentrations of (Jones, P. & Suggett, A.) 617
Hydrogen peroxide, theoretical appraisal of the mechanism of catalase action with (Jones, P. & Suggett, A.) 621
Hydrolases, lysosomal, role of, in malignant growth (Poole, A. R. & Williams, D. C.) 6P
Hydrolysis reactions, enzyme-catalysed, mechanisms of (Gutfreund, H.) 2P
3α-Hydroxy steroid–nicotinamide–adenine dinucleotide oxidoreductase, activity of, in crystalline preparations of 20β-hydroxy steroid–nicotinamide–adenine dinucleotide oxidoreductase (Pocklington, T. & Jeffery, J.) 28P
m-Hydroxybenzoate, major phenolic acid metabolite of (+)-catechin in the guinea pig (Das, N. P. & Griffiths, L. A.) 449
β-Hydroxybutyrate dehydrogenase, isoenzymes of, in *Rhizobium* spp. (O'Hora, A. & Fottrell, P. F.) 16P
3-Hydroxybutyrate, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on oxidation of, by rat liver mitochondria (Senior, A. E. & Sherratt, H. S. A.) 499
3-Hydroxy[^{14}C]butyrate, use of, for determination of turnover rate of ketone bodies in the rat (Bates, M. W., Krebs, H. A. & Williamson, D. H.) 655
4-Hydroxyisophthalate, intermediate role of, in metabolism of 2,4-xylenol by *Pseudomonas* sp. (Chapman, P. J. & Hopper, D. J.) 491
4-Hydroxy-3-methylbenzoate, intermediate role of, in metabolism of 2,4-xylenol by *Pseudomonas* sp. (Chapman, P. J. & Hopper, D. J.) 491
13-Hydroxy-12-oxo-*cis*-9-octadecenoic acid, enzymic conversion of 13-hydroperoxy-*cis*-9-*trans*-11-octadecadienoic acid into (Veldink, G. A., Vliegenthart, J. F. G. & Boldingh, J.) 58P
δ-(3-Hydroxyphenyl)-α-valerolactone, major lactone metabolite of (+)-catechin in the guinea pig (Das, N. P. & Griffiths, L. A.) 449
3-Hydroxy-1,4-thymoquinone, excretion of, by *Pseudomonas putida* metabolizing thymol (Chamberlain, E. M. & Dagley, S.) 755
Hypothalamus, effects of ovariectomy and injected oestradiol monobenzoate on polypeptide metabolism in (Hooper, K. C.) 151

Immunoglobulin, complete amino acid sequence of λ-chain of (Milstein, C., Clegg, J. B. & Jarvis, J. M.) 631
Immunoglobulin G, studies of glycopeptides isolated from heavy chain of, excreted in urine in heavy-chain disease (Clamp, J. R., Dawson, G. & Franklin, E. C.) 385
Immunoglobulin, simple procedure for fractionation of tryptic peptides of *C*-terminal half of λ-chains of (Milstein, C.) 652
Immunoglobulins, human, heterogeneity of (Milstein, C.) 26P
Injury, effects of, on carbohydrate metabolism in rat liver *in vivo* (Heath, D. F. & Threlfall, C. J.) 337
Insulin, anti-, serum, metabolism of glucose in diaphragm muscle of rats treated with (Beloff-Chain, A. & Rookledge, K. A.) 529
Insulin, biosynthesis of a precursor of, by cod islet tissue (Grant, P. T. & Reid, K. B. M.) 281
Insulin, cod, amino acid sequence of (Reid, K. B. M., Grant, P. T. & Youngson, A.) 289
Intestine, small, rat, effect of age on glycolytic and hexokinase activities in mucosa of (Srivastava, L. M. & Hübscher, G.) 607
Intestine, small, rat, kinetic studies with three separated fractions of β-galactosidases of (Asp, N.-G. & Dahlqvist, A.) 143
Iron, phosphoprotein-bound, in plasma of the laying hen (Ali, K. E. & Ramsay, W. N. M.) 36P
Islet tissue, cod, amino acid sequence of insulin isolated from (Reid, K. B. M., Grant, P. T. & Youngson, A.) 289
Islet tissue, cod, biosynthesis of an insulin precursor by (Grant, P. T. & Reid, K. B. M.) 281
Isocitrate dehydrogenase, nicotinamide–adenine dinucleotide phosphate-linked, carbon dioxide or bicarbonate as substrate of (Dalziel, K. & Londesborough, J. C.) 223
Isocitrate dehydrogenase, nicotinamide–adenine dinucleotide phosphate-linked, equilibrium constant of the reaction catalysed by (Londesborough, J. C. & Dalziel, K.) 217
Isocitrate lyase, inhibition of, from *Chlorella pyrenoidosa* by intermediary metabolites (John, P. C. L. & Syrett, P. J.) 481
Isoniazid, effect of, on alkali-extractable polysaccharides of *Mycobacterium tuberculosis* (Winder, F. G. & Rooney, S. A.) 8P

Jack bean, purification and properties of α-D-mannosidase from (Snaith, S. M. & Levvy, G. A.) 663

α-Keratins, wool and hair, evidence of homology in a high-sulphur protein fraction (SCMK–B2) of (Gillespie, J. M., Haylett, T. & Lindley, H.) 193
Ketone bodies, turnover rates of, in normal, starved and alloxan-diabetic rats (Bates, M. W., Krebs, H. A. & Williamson, D. H.) 655
Kidney, pig, inhibition of pyrophosphatase activity of alkaline phosphatase of, by magnesium ions and excess of pyrophosphate (Butterworth, P. J.) 671

Kidney, rat, hyperplastic, effect of ionizing radiation on phosphate content of histone F1 in (Stevely, W. S. & Stocken, L. A.) 187
Klebsiella aerogenes A3 (Sl) (type 54), isolation of *O*-acetylated octasaccharide, tetrasaccharide and trisaccharide from exopolysaccharide of (Sutherland, I. W. & Wilkinson, J. F.) 749
Kwashiorkor, sodium, potassium, calcium and magnesium contents in nails of children with (Leonard, P. J., Morris, W. P. & Brown, R.) 22P

Lactate dehydrogenase, cod and coalfish, genetic variation of (Lush, I. E. & Cowey, C. B.) 33P
L-Lactate oxidase, crystallization and properties of, from *Mycobacterium smegmatis* (Sullivan, P. A.) 363
Lactose, kinetic study of action of three separated fractions of rat small-intestinal β-galactosidases on (Asp, N.-G. & Dahlqvist, A.) 143
Leucocytes, human, histones of (MacGillivray, A. J.) 181
Limit dextrinase, *see* Dextrinase, limit
Lipid, content of, of glucose-grown and acetate-grown *Escherichia coli* (Damoglou, A. P. & Dawes, E. A.) 775
Lipids, effect of, on incorporation of labelled amino acids into transfer ribonucleic acid *in vitro* (Hradec, J. & Dušek, Z.) 1
Lipids of the cell membrane of *Halobacterium halobium* (Marshall, C. L. & Brown, A. D.) 441
Lipids, separation of, on Sephadex LH-20 (Downey, W. K., Keogh, M. K. & Murphy, R. F.) 13P
Lipogenesis, roles of coenzyme A derivatives, citrate and L-glycerol 3-phosphate in control of, in rat epididymal adipose tissue (Denton, R. M. & Halperin, M. L.) 27
Lipoic acid, *Escherichia coli* mutant strain requiring, for normal growth (Whittaker, P. A. & Parker, G. S.) 46P
Lipoprotein lipase, *see* Clearing-factor lipase
Liver, axolotl, factors rendering arginase of, able to hydrolyse endogenous arginine (Palacios, R., Tarrab, R. & Soberón, G.) 425
Liver cells, distribution of components of mixed-function oxidase between rough and smooth endoplasmic reticulum of (Holtzman, J. L., Gram, T. E., Gigon, P. L. & Gillette, J. R.) 407
Liver, guinea-pig, availability of carnitine acetyltransferase in mitochondria from (Barker, P. J., Fincham, N. J. & Hardwick, D. C.) 739
Liver, human, histones of (MacGillivray, A. J.) 181
Liver, rat, compartmentation between glycolysis and gluconeogenesis in (Threlfall, C. J. & Heath, D. F.) 303
Liver, rat, effect of nucleoside triphosphate and magnesium ion concentrations on stability and function of polyribosomes from, *in vitro* (Pronczuk, A. W., Baliga, B. S. & Munro, H. N.) 783
Liver, rat, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on oxidation of fatty acids by mitochondria of (Senior, A. E., Robson, B. & Sherratt, H. S. A.) 511
Liver, rat, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on oxidative phosphorylation and oxidation of pyruvate, 3-hydroxybutyrate and tricarboxylic acid-cycle intermediates by mitochondria of (Senior, A. E. & Sherratt, H. S. A.) 499
Liver, rat, interaction of glycolysis, gluconeogenesis and the tricarboxylic acid cycle in, *in vivo* (Heath, D. F. & Threlfall, C. J.) 337
Liver, rat, neonatal, carbohydrate formation from various precursors in (Vernon, R. G., Eaton, S. W. & Walker, D. G.) 725
Liver, rat, purification of diketo acid hydrolase from (Brock, D. J. H. & Williamson, D. H.) 677
Liver, rat, redistribution of carbon label by the reactions involved in glycolysis, gluconeogenesis and the tricarboxylic acid cycle in (Heath, D. F.) 313
Liver, rat, regenerating, effect of ionizing radiation on phosphate content of histone F1 in (Stevely, W. S. & Stocken, L. A.) 187
Liver, rat, template activity of the chromatin and molecular species of ribonucleic acid synthesized in, after treatment with growth hormone (Gupta, S. L. & Talwar, G. P.) 401
Lymphocytes, human, normal, early effects of phytohaemagglutinin on glucose metabolism of (Hedeskov, C. J.) 373
Lysine, control of α-aminoadipate and penicillin synthesis in *Penicillium chrysogenum* by (Goulden, S. A. & Chattaway, F. W.) 55P
Lysozymes (Jollès, P.) 25P

Magnesium ions, effect of concentration of, on stability and function of rat liver polyribosomes *in vitro* (Pronczuk, A. W., Baliga, B. S. & Munro, H. N.) 783
Magnesium ions, effect of concentration of, on the equilibrium of the isocitrate dehydrogenase reaction (Londesborough, J. C. & Dalziel, K.) 217
Magnesium ions, inhibition of pyrophosphatase activity of pig kidney alkaline phosphatase by, and excess of pyrophosphate (Butterworth, P. J.) 671
Maize seedlings, sterol esters of (Kemp, R. J. & Mercer, E. I.) 111
Maize shoots, sterols and sterol esters of intracellular organelles of (Kemp, R. J. & Mercer, E. I.) 119
Malate, carnitine-independent oxidation of palmitate plus, by moth flight-muscle mitochondria (Stevenson, E.) 105
D-Malate, enzymic formation of, by *Pseudomonas* N.C.I.B. 9867 (Hopper, D. J., Chapman, P. J. & Dagley, S.) 798
Malate–nicotinamide–adenine dinucleotide phosphate oxidoreductase (decarboxylating), carbon dioxide or bicarbonate as substrate for (Dalziel, K. & Londesborough, J. C.) 223
'Malic' enzyme, *see* Malate–nicotinamide–adenine dinucleotide phosphate oxidoreductase (decarboxylating)
Manganous ions, stabilization of axolotl hepatic arginase by (Palacios, R., Tarrab, R. & Soberón, G.) 425
α-D-Mannosidase, purification and properties of, from jack-bean meal (Snaith, S. M. & Levvy, G. A.) 663
Membrane, lipids of, of *Halobacterium halobium* (Marshall, C. L. & Brown, A. D.) 441
Membrane, synaptosomal, choline transport properties of (Marchbanks, R. M.) 533
Membrane, teichoic acid of, of *Staphylococcus lactis* I3 (Archibald, A. R., Baddiley, J. & Button, D.) 559
Menaquinones, biosynthesis of, in *Escherichia coli* E106 (Ellis, J. R. S. & Glover, J.) 22P
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger
3-Methoxytyramine, glucuronidation of, by a guinea-pig liver microsomal preparation (Wong, K. P. & Sourkes, T. L.) 99
Methyl methanesulphonate, alkylation of nucleic acids of the rat by (Swann, P. F. & Magee, P. N.) 39
Methyl methanesulphonate, rate of breakdown of, in the rat (Swann, P. F.) 49
3-*O*-Methylcatecholamines, glucuronidation of, by a guinea-pig liver microsomal preparation (Wong, K. P. & Sourkes, T. L.) 99
N-Methyl-*N*-nitrosourea, alkylation of nucleic acids of the rat by (Swann, P. F. & Magee, P. N.) 39
N-Methyl-*N*-nitrosourea, rate of breakdown of, in the rat (Swann, P. F.) 49
3-*O*-Methylnoradrenaline, glucuronidation of, by a guinea-pig liver microsomal preparation (Wong, K. P. & Sourkes, T. L.) 99

Micrococcus lysodeikticus, study by polyacrylamide-gel electrophoresis of effect of proteolysis on polynucleotide phosphorylase of (Fitt, P. S., Fitt, E. A. & Wille, H.) 475
Micrococcus sp., characterization of *Staphylococcus lactis* I3 as, with atypical teichoic acid in its cell wall (Davison, A. L.) 557
Microsomal preparation, liver, guinea-pig, glucuronidation of 3-*O*-methylnoradrenaline, harmalol and some related compounds by (Wong, K. P. & Sourkes, T. L.) 99
Microsomal preparations, liver, rat, conversion of *S*-*n*-propyl-L-cysteine into its sulphoxide by (Ebbon, G. P. & Callaghan, P.) 33P
Mitochondria, availability of carnitine acetyltransferase in, from guinea-pig liver and other tissues (Barker, P. J., Fincham, N. J. & Hardwick, D. C.) 739
Mitochondria, flight-muscle, moth, carnitine-independent oxidation of palmitate plus malate by (Stevenson, E.) 105
Mitochondria, liver, rat, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on oxidation of fatty acids by (Senior, A. E., Robson, B. & Sherratt, H. S. A.) 511
Mitochondria, liver, rat, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on oxidative phosphorylation and oxidation of pyruvate, 3-hydroxybutyrate and tricarboxylic acid-cycle intermediates by (Senior, A. E. & Sherratt, H. S. A.) 499
Mixed-function oxidase, *see* Oxidase, mixed-function
Monoribosomes, factor converting, into polyribosomes during protein synthesis *in vitro* (Cohen, B. B.) 231
Monosaccharides, method for quantitative determination of amino sugars, *N*-acetylneuraminic acid and (Brearley, G. M. & Weiss, J. B.) 413
Moths, carnitine-independent oxidation of palmitate plus malate by flight-muscle mitochondria of (Stevenson, E.) 105
Mucopeptide, cell-wall, of *Corynebacterium insidiosum* and *Corynebacterium sepedonicum* (Perkins, H. R.) 47P
Mucopolysaccharides, *see* Glycosaminoglycans
Mucosa, small-intestinal, rat, effect of age on glycolytic and hexokinase activities in (Srivastava, L. M. & Hübscher, G.) 607
Muscle, diaphragm, metabolism of glucose in, from normal rats, from streptozotocin-diabetic rats and from rats treated with anti-insulin serum (Beloff-Chain, A. & Rookledge, K. A.) 529
Muscle, flight, moth, carnitine-independent oxidation of palmitate plus malate by mitochondria of (Stevenson, E.) 105
Muscle, rabbit, studies on the mechanism of reaction of phosphoglucomutase from, by using flux techniques (Britton, H. G. & Clarke, J. B.) 161
Muscle, skeletal, rat, soluble and insoluble forms of phosphofructokinase in (Poon, W. M. & Wood, T.) 792
Mycobacterium smegmatis, crystallization and properties of L-lactate oxidase from (Sullivan, P. A.) 363
Mycobacterium smegmatis, factors influencing mycobactin and salicylic acid production in (Ratledge, C.) 23P
Mycobacterium smegmatis, partial purification of deoxyribonucleic acid polymerase from (Winder, F. G. A., McNulty, M. S. & Callender, L. A.) 10P
Mycobacterium tuberculosis, effect of isoniazid on alkali-extractable polysaccharides of (Winder, F. G. & Rooney, S. A.) 8P
Myoglobin, ferri-, sperm-whale, analysis of the visible spectra of some derivatives of (Smith, D. W. & Williams, R. J. P.) 297

Neurophysin, third, isolation of, from bovine pituitary posterior lobes (Rauch, R., Hollenberg, M. D. & Hope, D. B.) 38P
Nicotinamide–adenine dinucleotide phosphate, carbon dioxide or bicarbonate as substrate of isocitrate dehydrogenase and 'malic' enzyme linked to (Dalziel, K. & Londesborough, J. C.) 223
Nicotinamide–adenine dinucleotide phosphate, oxidized, equilibrium constant for oxidative decarboxylation of isocitrate by, catalysed by isocitrate dehydrogenase (Londesborough, J. C. & Dalziel, K.) 217
Nucleic acid, loss of ribosomal ribonucleic acid during preparation of, from certain plant tissues by the detergent–phenol method (Ingle, J. & Burns, R. G.) 605
Nucleic acids, alkylation of, of the rat by *N*-methyl-*N*-nitrosourea, dimethylnitrosamine, dimethyl sulphate and methyl methanesulphonate (Swann, P. F. & Magee, P. N.) 39
Nucleoside triphosphates, effect of concentration of, on stability and function of rat liver polyribosomes *in vitro* (Pronczuk, A. W., Baliga, B. S. & Munro, H. N.) 783
Nutritional status, effects of, on carbohydrate metabolism in rat liver *in vivo* (Heath, D. F. & Threlfall, C. J.) 337

Octasaccharide, acetylated, repeating unit of the exopolysaccharide of *Klebsiella aerogenes* A3 (Sl) (type 54) (Sutherland, I. W. & Wilkinson, J. F.) 749
Oestradiol monobenzoate, effect of injection of, on polypeptide metabolism in the hypothalamus (Hooper, K. C.) 151
Oestriol, another pathway of biosynthesis of, in pregnancy (Shahwan, M. M., Oakey, R. E. & Stitch, S. R.) 30P
Oligosaccharide units of glycopeptides isolated from the urinary protein in heavy-chain disease (Clamp, J. R., Dawson, G. & Franklin, E. C.) 385
Oligosaccharides, two, obtained from an Le^a-active glycoprotein (Marr, A. M. S., Donald, A. S. R. & Morgan, W. T. J.) 789
Opsin, nature of linkage between retinal and (Akhtar, M., Blosse, P. T. & Dewhurst, P. B.) 693
Ovalbumin, selective purification of serine phosphate peptides from, by diagonal electrophoresis (Milstein, C. P.) 127
Ovalbumins, disulphide bonds of (Fothergill, L. A. & Fothergill, J. E.) 36P
Ovariectomy, effect of, on polypeptide metabolism in the hypothalamus (Hooper, K. C.) 151
Oxidase, mixed-function, distribution of components of, between rough and smooth endoplasmic reticulum of liver cells (Holtzman, J. L., Gram, T. E., Gigon, P. L. & Gillette, J. R.) 407
Oxidative phosphorylation, *see* Phosphorylation, oxidative
β-Oxoadipate, formation of, in metabolism of 2,4-xylenol by *Pseudomonas* sp. (Chapman, P. J. & Hopper, D. J.) 491

Palmitate, carnitine-independent oxidation of malate plus, by moth flight-muscle mitochondria (Stevenson, E.) 105
Palmitate, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on oxidation of, by rat liver mitochondria (Senior, A. E., Robson, B. & Sherratt, H. S. A.) 511
Penicillium chrysogenum, lysine control of α-aminoadipate and penicillin synthesis in (Goulden, S. A. & Chattaway, F. W.) 55P
Pent-4-enoic acid, effects of, on carbohydrate metabolism in rat tissues *in vitro* (Senior, A. E. & Sherratt, H. S. A.) 521
Pent-4-enoic acid, effects of, on oxidation of fatty acids, by rat liver mitochondria (Senior, A. E., Robson, B. & Sherratt, H. S. A.) 511
Pent-4-enoic acid, effects of, on oxidative phosphorylation and oxidation of pyruvate, 3-hydroxybutyrate and tricarboxylic acid-cycle intermediates by rat liver mitochondria (Senior, A. E. & Sherratt, H. S. A.) 499

Pepsin C, substrate specificity of (Ryle, A. P., Leclerc, J. & Falla, F.) 4P
Peptidase, microsomal, properties of, in rat kidney (Wong-Leung, Y. L. & Kenny, A. J.) 5P
Peptidases, comparison of, in rat kidney that hydrolyse L-leucine amide, L-leucyl-*p*-nitroanilide and [^{125}I]-iodinated insulin B chain (Kenny, A. J., Wong-Leung, Y. L. & Ingram, J.) 6P
Peptidases, particulate, intracellular localization of, in rat and rabbit kidney (Wong-Leung, Y. L., George, S. G., Aparicio, S. G. R. & Kenny, A. J.) 5P
Peptides, characterization of, derived from a high-sulphur protein fraction (SCMK–B2) of Merino wool (Haylett, T. & Lindley, H.) 198
Peptides, cysteine-containing and terminal, chemical studies on, in tryptic digests of actin (Johnson, P. & Perry, S. V.) 207
Peptides, low-molecular-weight, naturally occurring, from the blowfly *Phormia regina* (Bodnaryk, R. P. & Levenbook, L.) 771
Peptides, serine phosphate-containing, selective purification of, by diagonal electrophoresis (Milstein, C. P.) 127
Peptides, tryptic, simple procedure for fractionation of, of *C*-terminal half of immunoglobulin λ-chains (Milstein, C.) 652
Phage, *see* Bacteriophage
Phormia regina, *see* Blowfly
Phormidium luridum, effect of deuterium oxide on large aggregates of C-phycocyanin of (Lee, J. J. & Berns, D. S.) 465
Phormidium luridum, studies on large aggregates of C-phycocyanin of (Lee, J. J. & Berns, D. S.) 457
Phosphatase, alkaline, effect of sodium chloride on, of *Escherichia coli* (Fernley, H. N. & Walker, P. G.) 11P
Phosphatase, alkaline, kidney, pig, inhibition of pyrophosphatase activity of, by magnesium ions and excess of pyrophosphate (Butterworth, P. J.) 671
Phosphatase, alkaline, of Shay chloroma (Dunne, J., Fennelly, J. J. & McGeeney, K. F.) 12P
Phosphate, limiting concentration of, required for growth of glucose-grown and acetate-grown *Escherichia coli* (Damoglou, A. P. & Dawes, E. A.) 775
Phosphate, variations in content of, of histone F1 in normal and irradiated tissues (Stevely, W. S. & Stocken, L. A.) 187
Phosphofructokinase, hormonal regulation of, in rat prostate gland and seminal vesicles (Singhal, R. L. & Valadares, J. R. E.) 703
Phosphofructokinase, soluble and insoluble forms of, in rat skeletal muscle (Poon, W. M. & Wood, T.) 792
Phosphoglucomutase, muscle, rabbit, studies on the mechanism of reaction of, by using flux techniques (Britton, H. G. & Clarke, J. B.) 161
Phosphoglucose isomerase, variations in isoenzymes of, in man (Fitch, L. I., Parr, C. W. & Welch, S. G.) 56P
Phosphoglycopeptides from yeast cell walls (Cawley, T. N. & Letters, R.) 9P
Phospholipids, choline-containing, formation of, *in vivo* (Ansell, G. B. & Spanner, S.) 201
Phospholipids, incorporation of [^{14}C]palmitate into, of homogenates of liver from fed and starved rats (Vavrečka, M., Mitchell, M. P. & Hübscher, G.) 52P
Phospholipids of the cell membrane of *Halobacterium halobium* (Marshall, C. L. & Brown, A. D.) 441
Phospholipids, tight coupling of synthesis of, and fatty acid desaturation in *Chlorella vulgaris* (Gurr, M. I., Robinson, M. P., Sword, R. W. & James, A. T.) 49P
Phosphorylation, oxidative, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on, by rat liver mitochondria (Senior, A. E. & Sherratt, H. S. A.) 499
Phosphoserine, *see* Serine phosphate
Photophosphorylation, inhibition of, by 1,1,1-trichloro-2,2-bis-(*p*-chlorophenyl)ethane (DDT) (Lawler, P. D. & Rogers, L. J.) 381
Phycocyanin, C-, effect of deuterium oxide on large aggregates of (Lee, J. J. & Berns, D. S.) 465
Phycocyanin,C-, studies on large aggregates of (Lee, J. J. & Berns, D. S.) 457
Phycoerythrins, amino acids involved in chromophore–protein linkages in (Killilea, S. D. & Ó Carra, P.) 14P
Phytohaemagglutinin, early effects of, on glucose metabolism of normal human lymphocytes (Hedeskov, C. J.) 373
Placenta, human, histones of (MacGillivray, A. J.) 181
Pneumococcus, characterization of C-substance of, as a ribitol teichoic acid containing choline phosphate (Brundish, D. E. & Baddiley, J.) 573
Poly-ε-benzyloxycarbonyl-L-lysine, multilayer formation by a compressed monolayer of (Malcolm, B. R.) 733
Polynucleotide ligase from polyoma-virus-infected mouse cells (Beard, P. & Pitts, J. D.) 48P
Polynucleotide phosphorylase, study by polyacrylamide-gel electrophoresis of effect of proteolysis on, of *Micrococcus lysodeikticus* (Fitt, P. S., Fitt, E. A. & Wille, H.) 475
Polyoma virus, immunological evidence for absence of deoxyribonucleic acid polymerase specific to (Smart, M. E., House, W. & Pitts, J. D.) 48P
Polyoma virus, polynucleotide ligase from mouse-cells infected with (Beard, P. & Pitts, J. D.) 48P
Polypeptides, effects of ovariectomy and injected oestradiol monobenzoate on metabolism of, in the hypothalamus (Hooper, K. C.) 151
Polyribosomes, factor converting monoribosomes into, during protein synthesis *in vitro* (Cohen, B. B.) 231
Polyribosomes, liver, rat, effect of nucleoside triphosphate and magnesium ion concentrations on stability and function of, *in vitro* (Pronczuk, A. W., Baliga, B. S. & Munro, H. N.) 783
Polysaccharide, C-, pneumococcal, characterization of, as a ribitol teichoic acid containing choline phosphate (Brundish, D. E. & Baddiley, J.) 573
Polysaccharide, exo-, isolation of *O*-acetylated octasaccharide tetrasaccharide and trisaccharide from, of *Klebsiella aerogenes* A3 (Sl) (type 54) (Sutherland, I. W. & Wilkinson, J. F.) 749
Polysomes, *see* Polyribosomes
Porphyrins, bile and faecal, in quiescent phase of variegate porphyria (Smith, S. G., Belcher, R. V., Mahler, R. & Yudkin, J.) 15P
S-*n*-Propyl-L-cysteine, conversion of, into its sulphoxide by microsomal preparations from rat liver (Ebbon, G. P. & Callaghan, P.) 33P
Prostate gland, changes in ribonucleic acid metabolism of aging mouse tissues with particular reference to (Mainwaring, W. I. P.) 79
Prostate gland, rat, hormonal regulation of phosphofructokinase in (Singhal, R. L. & Valadares, J. R. E.) 703
Protein, C-phycocyanin, effect of deuterium oxide on large aggregates of (Lee, J. J. & Berns, D. S.) 465
Protein, C-phycocyanin, studies on large aggregates of (Lee, J. J. & Berns, D. S.) 457
Protein, effect of infection with fowl-plague virus on synthesis of, in chick-embryo cells (Long, W. & Burke, D. C.) 41P
Protein, effect of lipids, in particular cholesteryl 14-methylhexadecanoate, on synthesis of, *in vitro* (Hradec, J. & Dušek, Z.) 1
Protein, effect of nucleoside triphosphate concentration on synthesis of, by cell-free system prepared from rat liver (Pronczuk, A. W., Baliga, B. S. & Munro, H. N.) 783
Protein, enzyme-catalysed reactions of polycyclic hydrocarbons with, *in vitro* (Grover, P. L. & Sims, P.) 159

Protein, factor converting monoribosomes into polyribosomes during synthesis of, *in vitro* (Cohen, B. B.) 231
Protein, formation of *O*-sulphates of serine and threonine in hydrolysates of (Murray, K.) 155
Protein fraction (SCMK–B2), high-sulphur, characterization of some peptides derived from, of Merino wool (Haylett, T. & Lindley, H.) 198
Protein fraction (SCMK–B2), high-sulphur, evidence of homology in, of wool and hair α-keratins (Gillespie, J. M., Haylett, T. & Lindley, H.) 193
Protein, urinary, studies on glycopeptides isolated from, in heavy-chain disease (Clamp, J. R., Dawson, G. & Franklin, E. C.) 385
Proteinases, serine, primary structures of (Hartley, B. S.) 1P
Proteins, dipolar origin of relaxation of (Hendrickx, H., Verbruggen, R., Rosseneu-Motreff, M. Y., Blaton, V. & Peeters, H.) 419
Proteins, polymorphic, structural differences in (Colloquium) 25P
Proteins, protection of peptides from biological sources for use in chemical synthesis of (Backer, T. A. & Offord, R. E.) 3P
Proteolysis, study by polyacrylamide-gel electrophoresis of effect of, on *Micrococcus lysodeikticus* polynucleotide phosphorylase (Fitt, P. S., Fitt, E. A. & Wille, H.) 475
Protocatechuate, intermediate role of, in metabolism of 2,4-xylenol by *Pseudomonas* sp. (Chapman, P. J. & Hopper, D. J.) 491
Pseudocholinesterase system, human (Gaffney, P. J., jun.) 12P
Pseudomonas N.C.I.B. 9867, enzymic formation of D-malate by (Hopper, D. J., Chapman, P. J. & Dagley, S.) 798
Pseudomonas putida, metabolism of thymol by (Chamberlain, E. M. & Dagley, S.) 755
Pseudomonas sp., characteristics of growth of, in culture media containing chlorhexidine (Bentley, M., Davies, A., Field, B. S. & Roberts, W.) 46P
Pseudomonas sp., metabolism of 2,4-xylenol by (Chapman, P. J. & Hopper, D. J.) 491
Pyridoxal and pyridoxal 5′-phosphate, non-enzymic degradation of L-serine *O*-sulphate and related compounds catalysed by (Thomas, J. H., Dodgson, K. S. & Tudball, N.) 687
Pyrophosphate, inhibition of pyrophosphatase activity of pig kidney alkaline phosphatase by magnesium ions and excess of (Butterworth, P. J.) 671
[^{14}C]Pyruvate, distribution of label from, in rat liver (Heath, D. F.) 313
Pyruvate, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on oxidation of, by rat liver mitochondria (Senior, A. E. & Sherratt, H. S. A.) 499
Pyruvate kinase, properties and interconversion of two active forms of, of rat epididymal adipose tissue (Pogson, C. I.) 67
Pyruvate kinases, effect of temperature on catalytic and regulatory functions of, of the rainbow trout and the Antartic fish *Trematomus bernacchii* (Somero, G. N. & Hochachka, P. W.) 395
[^{14}C]Pyruvate, redistribution of label from, in rat liver *in vivo* (Heath, D. F. & Threlfall, C. J.) 337

Radiation, ionizing, effect of, *in vivo* on phosphate content of histone F1 in rat tissues (Stevely, W. S. & Stocken, L. A.) 187
Reticulocytes, rabbit, production of biologically active subparticles from ribosomes of (Bonanou, S., Cox, R. A., Higginson, B. & Kanagalingam, K.) 87
Reticulum, endoplasmic, rough and smooth, distribution of components of mixed-function oxidase between, of liver cells (Holtzman, J. L., Gram, T. E., Gigon, P. L. & Gillette, J. R.) 407
Retinal, nature of linkage between opsin and (Akhtar, M., Blosse, P. T. & Dewhurst, P. B.) 693
11-*cis*-Retinol and 11-*cis*-retinal, radioactive, preparation of (Akhtar, M., Blosse, P. T. & Dewhurst, P. B.) 693
Rhizobium, induction of glutamate dehydrogenase and aspartate aminotransferase in (Mooney, P. & Fottrell, P. F.) 17P
Rhizobium spp., isoenzymes of β-hydroxybutyrate dehydrogenase in (O'Hora, A. & Fottrell, P. F.) 16P
Rhodopsin, active site of (Akhtar, M., Blosse, P. T. & Dewhurst, P. B.) 693
Ribitol teichoic acid, characterization of pneumococcal C-substance as, containing choline phosphate (Brundish, D. E. & Baddiley, J.) 573
Ribonucleic acid, changes in metabolism of, of aging mouse tissues with particular reference to the prostate gland (Mainwaring, W. I. P.) 79
Ribonucleic acid, influence of oestradiol-17β on synthesis of, in rat uterus (Billing, R. J., Barbiroli, B. & Smellie, R. M. S.) 30P
Ribonucleic acid, messenger, lifetime and content of, in *Escherichia coli* (Pigott, G. H. & Midgley, J. E. M.) 251
Ribonucleic acid, rapidly labelled, characterization of, of *Escherichia coli* by hybridization to deoxyribonucleic acid (Pigott, G. H. & Midgley, J. E. M.) 251
Ribonucleic acid, ribosomal, loss of, during preparation of nucleic acid from certain plant tissues by the detergent–phenol method (Ingle, J. & Burns, R. G.) 605
Ribonucleic acid, soluble and ribosomal, presence of thiouridylic acid in (Parish, J. H., Fletcher, P. A. & Brown, M.) 39P
Ribonucleic acid, synthesis of, in chick-embryo cells infected with fowl-plague virus (Skehel, J. J. & Burke, D. C.) 41P
Ribonucleic acid, template activity of the chromatin and molecular species of, synthesized after treatment with growth hormone (Gupta, S. L. & Talwar, G. P.) 401
Ribonucleic acid, transfer, effect of lipids, in particular cholesteryl 14-methylhexadecanoate, on incorporation of labelled amino acids into, *in vitro* (Hradec, J. & Dušek, Z.) 1
Ribonucleic acids, alkylation of, of the rat by *N*-methyl-*N*-nitrosourea, dimethylnitrosamine, dimethyl sulphate and methyl methanesulphonate (Swann, P. F. & Magee, P. N.) 39
Ribosomes, chloroplast, stereospecificity of chloramphenicol inhibition of (Ellis, R. J.) 42P
Ribosomes, loss of ribonucleic acid of, during preparation of nucleic acid from certain plant tissues by the detergent–phenol method (Ingle, J. & Burns, R. G.) 605
Ribosomes, monomer, factor converting, into polyribosomes during protein synthesis *in vitro* (Cohen, B. B.) 231
Ribosomes, reticulocyte, rabbit, production of biologically active subparticles from (Bonanou, S., Cox, R. A., Higginson, B. & Kanagalingam, K.) 87
Ruminants, availability of carnitine acetyltransferase in mitochondria from liver and mammary gland (Barker, P. J., Fincham, N. J. & Hardwick, D. C.) 739

Saliva, submandibular, dog, identification of hyaluronidase of (Tan, Y. H. & Bowness, J. M.) 9
Saliva, submandibular, dog, properties of hyaluronidase of (Tan, Y. H. & Bowness, J. M.) 19
Salmo gairdnerii, *see* Trout, rainbow
Scurvy, effect of, on glycosaminoglycans of granulation tissue and costal cartilage (Antonowicz, I. & Kodicek, E.) 609
Sedimentation-equilibrium studies on lysine-rich fraction of calf thymus histones (Haydon, A. J. & Peacocke, A. R.) 243
Seminal vesicles, rat, hormonal regulation of phosphofructokinase in (Singhal, R. L. & Valadares, J. R. E.) 703

Senescence, chromatin of barley leaves during (Srivastava, B. I. S.) 683
L-Serine dehydratase, development of, in neonatal rat liver (Vernon, R. G., Eaton, S. W. & Walker, D. G.) 725
Serine phosphate, selective purification of peptides containing, by diagonal electrophoresis (Milstein, C. P.) 127
Serine *O*-sulphate, formation of, in protein hydrolysates (Murray, K.) 155
L-Serine *O*-sulphate, non-enzymic degradation of, catalysed by pyridoxal and pyridoxal 5′-phosphate (Thomas, J. H., Dodgson, K. S. & Tudball, N.) 687
Serum albumin, *see* Albumin, serum
Serum, human, physical-chemical properties of reduced–alkylated and sulphitolysed transferrin of (Bezkorovainy, A., Grohlich, D. & Gerbeck, C. M.) 765
Skeletal muscle, *see* Muscle, skeletal
Small intestine, *see* Intestine, small
Spectra, visible-absorption, analysis of, of some sperm-whale ferrimyoglobin derivatives (Smith, D. W. & Williams, R. J. P.) 297
Spectrum, visible-absorption, effect of chloride and other univalent inorganic ions on, of aspartate aminotransferase (Bergami, M., Marino, G. & Scardi, V.) 471
Sperm whale, analysis of the visible spectra of some derivatives of ferrimyoglobin of (Smith, D. W. & Williams, R. J. P.) 297
Spinach, stoicheiometry of electron transfer by ferredoxin of (Evans, M. C. W., Hall, D. O., Bothe, H. & Whatley, F. R.) 485
Spirodela oligorrhiza, urease in (Cook, A. R. & Bollard, E. G.) 31P
Staphylococcus epidermidis I2, glycerol teichoic acid of cell wall of (Archibald, A. R., Baddiley, J. & Shaukat, G. A.) 583
Staphylococcus lactis, I3, biosynthesis of cell-wall teichoic acid of (Baddiley, J., Blumsom, N. L. & Douglas, L. J.) 565
Staphylococcus lactis I3, characterization of, as *Micrococcus* with atypical teichoic acid in its cell wall (Davison, A. L.) 557
Staphylococcus lactis I3, glycerol teichoic acid of cell wall of (Archibald, A. R., Baddiley, J. & Button, D.) 543
Staphylococcus lactis I3, membrane teichoic acid of (Archibald, A. R., Baddiley, J. & Button, D.) 559
Starvation, effect of, on turnover rate of ketone bodies in the rat (Bates, M. W., Krebs, H. A. & Williamson, D. H.) 655
Stem-bromelain, *see* Bromelain, stem-
Steroids, biosynthesis of, in rat testis seminiferous tubules (Bell, J. B. G., Vinson, G. P. & Lacy, D.) 58P
Steroids, neutral, influence of light and 9,10-dimethylbenz-[*a*]anthracene on ovarian biosynthesis of (Bell, J. A., Sneddon, A. & Hamilton, T.) 29P
Steroids, phenolic, influence of light and 9,10-dimethylbenz-[*a*]anthracene on ovarian biosynthesis of (Smyth, B. J., Sneddon, A. & Hamilton, T.) 28P
Sterol esters of intracellular organelles of maize shoots (Kemp, R. J. & Mercer, E. I.) 119
Sterol esters of maize seedlings (Kemp, R. J. & Mercer, E. I.) 111
Sterols of intracellular organelles of maize shoots (Kemp, R. J. & Mercer, E. I.) 119
Streptozotocin-diabetes, *see* Diabetes, streptozotocin-
Submandibular gland, dog, identification and subcellular distribution of hyaluronidase of (Tan, Y. H. & Bowness, J. M.) 9
Submandibular gland, dog, purification and properties of hyaluronidase of (Tan, Y. H. & Bowness, J. M.) 19
Subribosomal particles, biologically active, production of, from rabbit reticulocyte ribosomes (Bonanou, S., Cox, R. A., Higginson, B. & Kanagalingam, K.) 87
Subribosomal particles in newborn-rat liver (Benson, P. F.) 59P
Sulphate esters, non-enzymic degradation of, catalysed by pyridoxal and pyridoxal 5′-phosphate (Thomas, J. H., Dodgson, K. S. & Tudball, N.) 687
Sulphate, positive control of reduction of, in *Escherichia coli* (Jones-Mortimer, M. C.) 597
Sulphur compounds, inorganic, use of *N*-ethylmaleimide in stabilizing and measuring (Ellis, R. J.) 43P
Synaptosomes, uptake of [^{14}C]choline into, *in vitro* (Marchbanks, R. M.) 533

Teichoic acid, cell-wall, biosynthesis of, in *Staphylococcus lactis* I3 (Baddiley, J., Blumsom, N. L. & Douglas, L. J.) 565
Teichoic acid, glycerol, cell-wall, of *Staphylococcus epidermidis* I2 (Archibald, A. R., Baddiley, J. & Shaukat, G. A.) 583
Teichoic acid, glycerol, cell-wall, of *Staphylococcus lactis* I3 (Archibald, A. R., Baddiley, J. & Button, D.) 543
Teichoic acid, membrane, of *Staphylococcus lactis* I3 (Archibald, A. R., Baddiley, J. & Button, D.) 559
Teichoic acid, ribitol, characterization of pneumococcal C-substance as, containing choline phosphate (Brundish, D. E. & Baddiley, J.) 573
Temperature, effect of, on catalytic and regulatory functions of pyruvate kinases of rainbow trout and the Antarctic fish *Trematomus bernacchii* (Somero, G. N. & Hochachka, P. W.) 395
L-Threonine dehydratase, development of, in neonatal rat liver (Vernon, R. G., Eaton, S. W. & Walker, D. G.) 725
Threonine *O*-sulphate, formation of, in protein hydrolysates (Murray, K.) 155
L-Threonine *O*-sulphate, non-enzymic degradation of, catalysed by pyridoxal and pyridoxal 5′-phosphate (Thomas, J. H., Dodgson, K. S. & Tudball, N.) 687
Thrombin, homologies between, and other serine proteinases (Magnusson, S.) 25P
Thymol, metabolism of, by *Pseudomonas putida* (Chamberlain, E. M. & Dagley, S.) 755
Thymus, calf, sedimentation-equilibrium and other physicochemical studies on lysine-rich fraction of histones of (Haydon, A. J. & Peacocke, A. R.) 243
Thymus, human, histones of (MacGillivray, A. J.) 181
Tocochromanols, absorption and distribution of, in the rat (Pearson, C. K. & Barnes, M. McC.) 21P
α-Tocopherol, absorption of, in man (Kelleher, J. & Losowsky, M. S.) 20P
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Transferrin, dielectric behaviour of solutions of (Hendrickx, H., Verbruggen, R., Rosseneu-Motreff, M. Y., Blaton, V. & Peeters, H.) 419
Transferrin, serum, human, reduced–alkylated and sulphitolysed, physical-chemical properties of (Bezkorovaiyn, A., Grohlich, D. & Gerbeck, C. M.) 765
Trehalose, free, in *Corynebacterium xerosis* (Brennan, P. J.) 9P
Trematomus bernacchii (Antarctic fish), effect of temperature on catalytic and regulatory functions of pyruvate kinase of (Somero, G. N. & Hochachka, P. W.) 395
Triacetate, *see* 3,5-Dioxohexanoate
Tricarboxylic acid cycle, effects of the hypoglycaemic compound pent-4-enoic acid and related non-hypoglycaemic fatty acids on oxidation of intermediates of, by rat liver mitochondria (Senior, A. E. & Sherratt, H. S. A.) 499
Tricarboxylic acid cycle, interaction of glycolysis, gluconeogenesis and, in rat liver *in vivo* (Heath, D. F. & Threlfall, C. J.) 337
Tricarboxylic acid cycle, redistribution of carbon label by the reactions involved in glycolysis, gluconeogenesis and, in rat liver (Heath, D. F.) 313

1,1,1-Trichloro-2,2-bis-(*p*-chlorophenyl)ethane (DDT), inhibition of photophosphorylation by (Lawler, P. D. & Rogers, L. J.) 381
Triglycerides, roles of coenzyme A derivatives, citrate and L-glycerol 3-phosphate in control of synthesis of, in rat epididymal adipose tissue (Denton, R. M. & Halperin, M. L.) 27
Triperidol, effect of, on carbohydrate and amino acid metabolism in rat brain-cortex slices (Michalek, H., Gatti, G. L. & Pocchiari, F.) 237
Trout, rainbow, effect of temperature on catalytic and regulatory functions of pyruvate kinase of (Somero, G. N. & Hochachka, P. W.) 395
Trypsin, allosteric-effector specificity of substrates for (Trummer, V. K., Hofmann, W. & Rottenberg, M.) 4P

Urease in *Spirodela oligorrhiza* (Cook, A. R. & Bollard, E. G.) 31P
Urine, metabolites of (+)-catechin in, of the guinea pig (Das, N. P. & Griffiths, L. A.) 449

Virus, fowl-plague, *see* Fowl-plague virus
Virus, herpes, *see* Herpes virus
Virus, polyoma, *see* Polyoma virus
Visible spectra, analysis of, of some sperm-whale ferrimyoglobin derivatives (Smith, D. W. & Williams, R. J. P.) 297
Visible spectrum, influence of chloride and other univalent inorganic ions on, of aspartate aminotransferase (Bergami, M., Marino, G. & Scardi, V.) 471
Vitamin A, *see* Retinol
Vitamin C, *see* Ascorbic acid
Vitamin D_3, *see* Cholecalciferol
Vitamin E, absorption of, in man (Kelleher, J. & Losowsky, M. S.) 20P

Wheat, inhibition of β-amylase of (Clancy, M. J., O'Hara, C. E., Risseeuw, P. S. & Ryan, E.) 7P
Wool, Merino, characterization of some peptides derived from a high-sulphur protein fraction (SCMK–B2) of (Haylett, T. & Lindley, H.) 198
Wool, Merino, evidence of homology in a high-sulphur protein fraction (SCMK–B2) of α-keratins of bovine hair and (Gillespie, J. M., Haylett, T. & Lindley, H.) 193

2,4-Xylenol, metabolism of, by *Pseudomonas* sp. (Chapman, P. J. & Hopper, D. J.) 491

Yeast, baker's, adaptation of, to oxidation of acetate (Gosling, J. P. & Duggan, P. F.) 19P
Yeast, phosphoglycopeptides from cell walls of (Cawley, T. N. & Letters, R.) 9P
Yeast, presence of predominantly β (1→6)-linked component in preparations of glucan of (Bacon, J. S. D. & Farmer, V. C.) 34P

Zinc ions, stabilization and activation of jack-bean α-D-mannosidase by (Snaith, S. M. & Levvy, G. A.) 663

The Biochemical Journal

Volume 110, 1968

The Biochemical Journal

Editorial Board

W. N. Aldridge (Chairman)
J. R. Quayle (Deputy Chairman)
D. G. Walker (Deputy Chairman)
D. S. Robinson (Deputy Chairman)
M. L. Birnstiel
R. V. Brooks
R. H. Burdon
R. A. Cox
J. E. Cremer
M. J. Crumpton
D. F. Elliott
P. B. Garland
B. S. Hartley
J. N. Hawthorne
J. D. Judah
J. R. Knowles
P. N. Magee
D. J. Manners
J. H. Moore
C. J. O. R. Morris
I. H. M. Muir
A. C. T. North*
C. A. Pasternak
A. R. Peacocke*
H. R. Perkins
G. K. Radda
D. N. Rhodes
R. Rodnight
D. B. Roodyn
R. E. Strange
J. R. Tata
P. K. Tubbs
D. C. Watts
F. R. Whatley

Secretary to the Board: **F. Clark**

*Nominated by the British Biophysical Society

London: The Biochemical Society